

Dear Suzuki Dealer,

Quality. Dependability. Innovation. Everything that you expect from your outboard motors is delivered with style by SUZUKI.

Demand no less from the products that you choose to enhance your total boating pleasure. Demand SUZUKI GENUINE ACCESSORIES.

This catalogue represents our commitment to provide you with the finest products available.

From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on SUZUKI GENUINE ACCESSORIES for optimum performance.

Take a few minutes to browse through this catalogue, and then be sure to contact your AUTHORIZED SUZUKI DISTRIBUTOR for further information.

Thank you.

SUZUKI MOTOR CORPORATION

TABLE OF CONTENTS

SUZUKI MULTI-FUNCTION GAUGE	04	STEERING	46
COMPONENT OF SUZUKI MULTI-FUNCTION GAUGE	18	ELECTRICAL PARTS	48
SUZUKI KEYLESS START SYSTEM	20	FUEL SYSTEM	50
ANALOG INSTRUMENT	24	PROPELLER	52
ELECTRONIC THROTTLE AND SHIFT SYSTEM	26	CARE & MAINTENANCE ITEM	56
COMPONENT OF SUZUKI PRECISION CONTROL	34	SUZUKI MAINTENANCE KITS	58
MECHANICAL REMOTE CONTROL SYSTEM	36	ANODE	60
COMPONENT OF MECHANICAL REMOTE CONTROL SYSTEM	40	Recommended STEERING SYSTEM	62
DF350A	42	APPLICATION CHART	64



MODEL NAME AND ENGINE NUMBER

NOTE : Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers. Please consult your local dealers regarding other models and their rigging-parts and accessories.

model	engine number	model	engine number	model	engine number	model	engine number
DF350A	35001F-810001~	DF200AP	20003P-810001~	DF140A	14003F-810001~	DF60A	06002F-810001~
DF300AP	30002P-810001~	DF200A	20003F-810001~	DF140AZ	14003Z-810001~	DF60AV	06003F-810001~
DF250AP	25003P-810001~	DF200AZ	20003Z-810001~	DF115A	11503F-810001~	DF50A	05003F-810001~
DF250	25003F-810001~	DF175AP	17503P-810001~	DF115AZ	11503Z-810001~	DF50AV	05004F-810001~
DF250Z	25003Z-810001~	DF175	17502F-810001~	DF100A	10003F-810001~	DF40A	04003F-810001~
DF225	22503F-810001~	DF175Z	17502Z-810001~	DF100B	10004F-810001~	DF30A	03003F-810001~
DF225Z	22503Z-810001~	DF150AP	15003P-810001~	DF90A	09003F-810001~	DF25A	02504F-810001~
DF200	20002F-810001~	DF150	15002F-810001~	DF80A	08002F-810001~	DF20A	02002F-810001~
DF200Z	20002Z-810001~	DF150Z	15002Z-810001~	DF70A	07003F-810001~		

model	engine number	model	engine number
DF15A	01504F-810001~	DT40W	04005-810001~
DF9.9B	00995F-810001~	DT40WK	04005K-810001~
DF9.9A	00994F-810001~	DT30	03005-810001~
DF8A	00801F-810001~	DT25K	02503K-810001~
DF6A	00603F-810001~	DT15A	01504-810001~
DF5A	00503F-810001~	DT15AK	01503K-810001~
DF4A	00403F-810001~	DT9.9A	00996-810001~
DF2.5	00252F-810001~	DT9.9AK	00993K-810001~

REFERENCE


Part Number	15-digit alpha-numerical number shows Part Number to be used for ordering.
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilometers Per Hour
mph	Miles Per Hour
knots	Knots

OPERATION SYSTEMS

GAUGES

Multi-Function gauges

When you're on the water, it's vital that you can get the information about your engine's condition and performance you need, whenever you need it. That's exactly the thinking behind our Suzuki Multi-Function Gauge.




ALL THE INFORMATION IN ONE PLACE


This brilliantly simple technology gives you the right information, at the right time, all on one user friendly, highly intuitive read screen. You can view a wide range of important information, including engine rpm, speed and trim angle, as well as engine temp and fuel economy in 13 different measurement units, and total fuel flow for multiple engine installations. You'll also receive alerts from the engine's sensors and warning systems.

All you need for safe, simple and relaxing boating, all in one simple, reassuring and reliable device.

ANALOG TACHO & SPEED MODE



TACHO MODE



DISPLAY MODES

You can operate your Multi-Function Gauge in either digital or analogue display mode, depending on which you prefer; day and night settings mean

you can use it at literally any time. You can also zoom in on individual elements of the display, making it even easier to use.

ANALOG TACHO & SPEED MODE



ANALOG SPEED MODE (NIGHT)



ANALOG TACHO MODE



DIGITAL TACHO & SPEED MODE



DIGITAL TACHO MODE (NIGHT)



FUEL MODE



Protective cover (34211-96L00-000)



OPERATION SYSTEMS DIAGNOSTIC MOBILE APP New advanced service tool

Our new Suzuki Diagnostic System Mobile (SDS Mobile) app lets you send your Suzuki Authorised Dealer all the technical information they need to service and maintain your outboard, instantly and easily.

SDS Mobile works in tandem with our new Multi Function Gauge. Simply download the app, which is available on iOS and Android versions, to your smartphone: separate device is not required.

Output the data from diagnosis menu on the gauge, and you'll see three QR codes appear.

Scan them with your phone, and you instantly upload data

including the engine number, number of hours since the last oil change, total engine hours and hours of operation hour at different rpm.

The data is stored in your phone in a file that you can email straight to your dealer from the app.

The SDS Mobile app and email service is entirely free of charge.


DOWNLOAD THE APP FROM:




Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.



Google Play and the Google Play logo are trademarks of Google Inc.



SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL SINGLE



■Basic Kit
34000-96L42 **A. GAUGE KIT**

■When using GPS module (or water speed)
34000-96L42 **A. GAUGE KIT**
+36001-88L00 **B. CABLE KIT**

+39950-88L02
(34190-88L00) GPS. Receiver Module
When using Water Speed)

■When using DF9.9B-DF30A
36660-89L00-000

Basic Component

- 1** GAUGE ASSY, MULTI
- 2** WIRE COMP, GAUGE POWER
- 5** WIRE COMP, EXTENSION
- 6** HARNESS ASSY, NETWORK POWER
- 7** CONNECTOR COMP, BRANCH




- 8** UNIT COMP, RESISTOR FEMALE
- 9** UNIT COMP, RESISTOR MALE
- 12** ADAPTER COMP, GAUGE
- 14** SENSOR ASSY, PADDLE WHEEL
- GPS RECEIVER MODULE



SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL SINGLE				KIT		Total Required Quantity A (+ B) << 18 >
PART NUMBER	PART NAME	LENGTH	A. GAUGE KIT 34000-96L42-000	B. CABLE KIT 36001-88L00-000		
1	34011-96L12-000	GAUGE ASSY, MULTI	-	1	-	1
2	36663-98J00-000	WIRE COMP, GAUGE POWER	2.5m	-	-	1
	36663-98J10-000	WIRE COMP, GAUGE POWER	6.0m	1	-	1
5	36662-88L10-000	WIRE COMP, EXTENSION	0.6m	-	1	(1)
	36662-88L20-000	WIRE COMP, EXTENSION	1.8m	-	-	(1)
6	36663-88L00-000	HARNESS ASSY, NETWORK POWER	-	-	1	(1)
7	36664-88L00-000	CONNECTOR COMP, BRANCH	-	-	1	(1)
8	36665-88L00-000	UNIT COMP, RESISTOR FEMALE	-	-	1	(1)
9	36665-88L10-000	UNIT COMP, RESISTOR MALE	-	-	1	(1)
12	36661-96L10-000	ADAPTER COMP, GAUGE	-	1	-	1
14A	34190-88L00-000	SENSOR ASSY, PADDLE WHEEL	-	-	-	(1)
14B	39950-88L02-000	GPS RECEIVER MODULE	-	-	-	(1)
18	36660-89L00-000	SMFG, ADAPTER	-	-	-	<1>

■*()parts are required when using GPS module or water speed.
■*< >part are required when using with DF9.9B to 30A.

SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL DUAL



■Basic Kit
34000-96L52 **A. GAUGE KIT**

■When using GPS module
34000-96L52 **A. GAUGE KIT**
+39950-88L02
(34190-88L00) GPS. Receiver Module
When using Water Speed)

Basic Component

In addition to component of [MECHANICAL SINGLE]

- 3** ADAPTER, GAUGE FOR MULTI




SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL DUAL				KIT	Total Required Quantity A (+14)
PART NUMBER	PART NAME	LENGTH	A. GAUGE KIT 34000-96L52-000		
1	34011-96L12-000	GAUGE ASSY, MULTI	2	2	
2	36663-98J00-000	WIRE COMP, GAUGE POWER	-	1	
	36663-98J10-000	WIRE COMP, GAUGE POWER	1	1	
3	36665-87L00-000	ADAPTER, GAUGE FOR MULTI	1	1	
5	36662-88L10-000	WIRE COMP, EXTENSION	2	2	
	36662-88L20-000	WIRE COMP, EXTENSION	-	-	
6	36663-88L00-000	HARNESS ASSY, NETWORK POWER	1	1	
7	36664-88L00-000	CONNECTOR COMP, BRANCH	2	2	
8	36665-88L00-000	UNIT COMP, RESISTOR FEMALE	1	1	
9	36665-88L10-000	UNIT COMP, RESISTOR MALE	1	1	
12	36661-96L10-000	ADAPTER COMP, GAUGE	2	2	
14A	34190-88L00-000	SENSOR ASSY, PADDLE WHEEL	-	(1)	
14B	39950-88L02-000	GPS RECEIVER MODULE	-	(1)	

■*()parts are required when using GPS module or water speed.


ADDITIONAL GAUGE COMPONENTS				Total Required
PART NUMBER	PART NAME	LENGTH		
1	34011-96L12-000	GAUGE ASSY, MULTI	1	
5	36662-88L10-000	WIRE COMP, EXTENSION	1	
	36662-88L20-000	WIRE COMP, EXTENSION	1	
7	36664-88L00-000	CONNECTOR COMP, BRANCH	1	
15	36667-96L11-000	WIRE COMP, DUAL GAUGE ADAPTER	1	
17	36667-96L20-000	WIRE, GAUGE EXT	-	

Please use "36667-96L20-000 WIRE, GAUGE EXT" as an extension between "34011-96L12" and "36667-96L11"




SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL SINGLE

SINGLE STATION



DUAL STATION



In addition to component of [SINGLE STATION]

4 WIRE COMP, GAUGE EXT



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) SINGLE		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L62-000	GAUGE KIT	1	1	1	1	1	1
36001-88L00-000	CABLE KIT	-	1	1	1	1	1
34002-96L12-000	DUAL STATION KIT	-	-	-	1	1	1
10	36662-88L30-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	-	1	-	-	1	-
14B	39950-88L02-000 GPS RECEIVER MODULE	-	-	1	-	-	1

COMPONENT LIST

KIT COMPONENT				KIT		
PART NUMBER	PART NAME	LENGTH	GAUGE KIT	CABLE KIT	DUAL STATION KIT	
			34000-96L62-000	36001-88L00-000	34002-96L12-000	
1	34011-96L12-000 GAUGE ASSY, MULTI	-	1	-	1	
2	36663-98J10-000 WIRE COMP, GAUGE POWER	6.0m	1	-	-	
4	36682-92E00-000 WIRE COMP, GAUGE EXT	6.4m	-	-	1	
5	36662-88L10-000 WIRE COMP, EXTENSION	0.6m	-	1	1	
6	36663-88L00-000 HARNESS ASSY, NETWORK POWER	-	-	1	-	
7	36664-88L00-000 CONNECTOR COMP, BRANCH	-	-	1	1	
8	36665-88L00-000 UNIT COMP, RESISTOR FEMALE	-	-	1	-	
9	36665-88L10-000 UNIT COMP, RESISTOR MALE	-	-	1	-	
11	36666-96L00-000 ADAPTER, GAUGE POWER	-	-	-	1	
12	36661-96L00-000 ADAPTER COMP, GAUGE	-	1	-	-	
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	-	1	


Optional Component list

2	36663-98J00-000 WIRE COMP, GAUGE POWER	2.5m
5	36662-88L20-000 WIRE COMP, EXTENSION	1.8m
10	36662-88L30-000 WIRE COMP, EXTENSION	4.7m
	36662-88L00-000 WIRE COMP, EXTENSION	7.6m
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	
14B	39950-88L02-000 GPS RECEIVER MODULE	

Component Parts

1 GAUGE ASSY, MULTI	2 WIRE COMP, GAUGE POWER	5 WIRE COMP, EXTENSION	6 HARNESS ASSY, NETWORK POWER	7 CONNECTOR COMP, BRANCH
8 UNIT COMP, RESISTOR FEMALE	9 UNIT COMP, RESISTOR MALE	12 ADAPTER COMP, GAUGE	14 SENSOR ASSY, PADDLE WHEEL	GPS RECEIVER MODULE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL DUAL



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) DUAL		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L72-000	GAUGE KIT	1	1	1	1	1	1
34002-96L12-000	DUAL STATION KIT	-	-	-	1	1	1
1	34011-96L12-000 GAUGE ASSY, MULTI	-	-	-	1	1	1
5	36662-88L10-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
7	36664-88L00-000 CONNECTOR COMP, BRANCH	-	-	-	1	1	1
10	36662-88L30-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	-	1	-	-	1	-
14B	39950-88L02-000 GPS RECEIVER MODULE	-	-	1	-	-	1
15	36667-96L11-000 WIRE COMP, GAUGE ADAPTER	-	-	-	1	1	1
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	-	1	1	1

COMPONENT LIST

KIT COMPONENT				KIT	
PART NUMBER	PART NAME	LENGTH	GAUGE KIT	DUAL STATION KIT	
			34000-96L72-000	34002-96L12-000	
1	34011-96L12-000 GAUGE ASSY, MULTI	-	2	1	
2	36663-98J10-000 WIRE COMP, GAUGE POWER	6.0m	1	-	
4	36682-92E00-000 WIRE COMP, GAUGE EXT	6.4m	-	1	
5	36662-88L10-000 WIRE COMP, EXTENSION	0.6m	2	1	
6	36663-88L00-000 HARNESS ASSY, NETWORK POWER	-	1	-	
7	36664-88L00-000 CONNECTOR COMP, BRANCH	-	2	1	
8	36665-88L00-000 UNIT COMP, RESISTOR FEMALE	-	1	-	
9	36665-88L10-000 UNIT COMP, RESISTOR MALE	-	1	-	
11	36666-96L00-000 ADAPTER, GAUGE POWER	-	-	1	
12	36661-96L00-000 ADAPTER COMP, GAUGE	-	1	-	
13	36667-96L00-000 WIRE COMP, GAUGE ADAPTER	-	1	-	
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	1	


Optional Component list

2	36663-98J00-000 WIRE COMP, GAUGE POWER	2.5m
5	36662-88L20-000 WIRE COMP, EXTENSION	1.8m
10	36662-88L30-000 WIRE COMP, EXTENSION	4.7m
10	36662-88L00-000 WIRE COMP, EXTENSION	7.6m
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	
14B	39950-88L02-000 GPS RECEIVER MODULE	
15	36667-96L11-000 WIRE COMP, GAUGE ADAPTER	
15	36667-96L30-000 WIRE COMP, GAUGE ADAPTER	

Component Parts

1 GAUGE ASSY, MULTI	2 WIRE COMP, GAUGE POWER	5 WIRE COMP, EXTENSION	6 HARNESS ASSY, NETWORK POWER	7 CONNECTOR COMP, BRANCH
8 UNIT COMP, RESISTOR FEMALE	9 UNIT COMP, RESISTOR MALE	12 ADAPTER COMP, GAUGE	14 SENSOR ASSY, PADDLE WHEEL	GPS RECEIVER MODULE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL TRIPLE



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) TRIPLE		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L72-000	GAUGE KIT	1	1	1	1	1	1
34002-96L12-000	DUAL STATION KIT	-	-	-	1	1	1
1	34011-96L12-000 GAUGE ASSY, MULTI	1	1	1	3	3	3
5	36662-88L10-000 WIRE COMP, EXTENSION	1	1	1	3	3	3
7	36664-88L00-000 CONNECTOR COMP, BRANCH	1	1	1	3	3	3
10	36662-88L30-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	-	1	-	-	1	-
14B	39950-88L02-000 GPS RECEIVER MODULE	-	-	1	-	-	1
15	36667-96L11-000 WIRE COMP, GAUGE ADAPTER	-	-	-	2	2	2
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	-	1	1	1

COMPONENT LIST

KIT COMPONENT			KIT	
PART NUMBER	PART NAME	LENGTH	A. GAUGE KIT 34000-96L72-000	B. DUAL STATION KIT 34002-96L12-000
1	34011-96L12-000 GAUGE ASSY, MULTI	-	2	1
2	36663-98J10-000 WIRE COMP, GAUGE POWER	6.0m	1	-
4	36682-92E00-000 WIRE COMP, GAUGE EXT	6.4m	-	1
5	36662-88L10-000 WIRE COMP, EXTENSION	0.6m	2	1
6	36663-88L00-000 HARNESS ASSY, NETWORK POWER	-	1	-
7	36664-88L00-000 CONNECTOR COMP, BRANCH	-	2	1
8	36665-88L00-000 UNIT COMP, RESISTOR FEMALE	-	1	-
9	36665-88L10-000 UNIT COMP, RESISTOR MALE	-	1	-
11	36666-96L00-000 ADAPTER, GAUGE POWER	-	-	1
12	36661-96L00-000 ADAPTER COMP, GAUGE	-	1	-
13	36667-96L00-000 WIRE COMP, GAUGE ADAPTER	-	1	-
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	1


Optional Component list

2	36663-98J00-000 WIRE COMP, GAUGE POWER	2.5m
5	36662-88L20-000 WIRE COMP, EXTENSION	1.8m
10	36662-88L30-000 WIRE COMP, EXTENSION	4.7m
	36662-88L00-000 WIRE COMP, EXTENSION	7.6m
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	
14B	39950-88L02-000 GPS RECEIVER MODULE	
15	36667-96L11-000 WIRE COMP, GAUGE ADAPTER	
	36667-96L30-000 WIRE COMP, GAUGE ADAPTER	

Component Parts

1 GAUGE ASSY, MULTI	2 WIRE COMP, GAUGE POWER	5 WIRE COMP, EXTENSION	6 HARNESS ASSY, NETWORK POWER	7 CONNECTOR COMP, BRANCH
				
8 UNIT COMP, RESISTOR FEMALE	9 UNIT COMP, RESISTOR MALE	12 ADAPTER COMP, GAUGE	14 SENSOR ASSY, PADDLE WHEEL	GPS RECEIVER MODULE
				

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL QUADRUPLE



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) QUADRUPLE		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L72-000	GAUGE KIT	1	1	1	1	1	1
34002-96L12-000	DUAL STATION KIT	-	-	-	1	1	1
1	34011-96L12-000 GAUGE ASSY, MULTI	2	2	2	5	5	5
3	36665-87L00-000 ADAPTER, GAUGE FOR MULTI	1	1	1	1	1	1
4	36682-92E00-000 WIRE COMP, GAUGE EXT	-	-	-	1	1	1
5	36662-88L10-000 WIRE COMP, EXTENSION	2	2	2	5	5	5
7	36664-88L00-000 CONNECTOR COMP, BRANCH	2	2	2	5	5	5
10	36662-88L30-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
12	36661-96L00-000 ADAPTER COMP, GAUGE	1	1	1	1	1	1
13	36667-96L00-000 WIRE COMP, GAUGE ADAPTER	1	1	1	1	1	1
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	-	1	-	-	1	-
14B	39950-88L02-000 GPS RECEIVER MODULE	-	-	-	-	-	1
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	-	1	1	1

COMPONENT LIST

PART NUMBER	PART NAME	LENGTH	KIT	
			GAUGE KIT 34000-96L72-000	DUAL STATION KIT 34002-96L12-000
1	34011-96L12-000 GAUGE ASSY, MULTI	-	2	1
2	36663-98J10-000 WIRE COMP, GAUGE POWER	6.0m	1	-
4	36682-92E00-000 WIRE COMP, GAUGE EXT	6.4m	-	1
5	36662-88L10-000 WIRE COMP, EXTENSION	0.6m	2	1
6	36663-88L00-000 HARNESS ASSY, NETWORK POWER	-	1	-
7	36664-88L00-000 CONNECTOR COMP, BRANCH	-	2	1
8	36665-88L00-000 UNIT COMP, RESISTOR FEMALE	-	1	-
9	36665-88L10-000 UNIT COMP, RESISTOR MALE	-	1	-
11	36666-96L00-000 ADAPTER, GAUGE POWER	-	-	1
12	36661-96L00-000 ADAPTER COMP, GAUGE	-	1	-
13	36667-96L00-000 WIRE COMP, GAUGE ADAPTER	-	1	-
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	1


Optional Component list

2	36663-98J00-000 WIRE COMP, GAUGE POWER	2.5m
3	36665-87L00-000 ADAPTER, GAUGE FOR MULTI	
5	36662-88L20-000 WIRE COMP, EXTENSION	1.8m
10	36662-88L30-000 WIRE COMP, EXTENSION	4.7m
	36662-88L00-000 WIRE COMP, EXTENSION	7.6m
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	
14B	39950-88L02-000 GPS RECEIVER MODULE	
13	36667-96L30-000 WIRE COMP, GAUGE ADAPTER	


Component Parts

1 GAUGE ASSY, MULTI	2 WIRE COMP, GAUGE POWER	5 WIRE COMP, EXTENSION	6 HARNESS ASSY, NETWORK POWER	7 CONNECTOR COMP, BRANCH
				
8 UNIT COMP, RESISTOR FEMALE	9 UNIT COMP, RESISTOR MALE	12 ADAPTER COMP, GAUGE	14 SENSOR ASSY, PADDLE WHEEL	GPS RECEIVER MODULE
				

COMPONENT OF SUZUKI MULTI-FUNCTION GAUGE



POWER CABLE



CONNECTION HARDWARE

NMEA2000® compatible sensors or other devices are able to use by the use of T-connectors throughout the system.

GAUGE ADAPTER



36661-96L10-000

36661-96L00-000

GAUGE EXT WIRE



36682-92E00-000

6.4m

36666-96L00-000

GAUGE POWER ADAPTER

EXTENSION CABLE



36662-88L10-000

0.6 meters

36662-88L20-000

1.8 meters

36662-88L30-000

4.6 meters

36662-88L00-000

7.6 meters

POWER CABLE WITH T-CONNECTOR



36663-88L00-000

The fused (3A) lead connects the extension cable to the power source.

T-CONNECTOR



36664-88L00-000

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR FEMALE



36665-88L00-000

120-ohm terminators are required for any open cable ends in the system.

TERMINATOR MALE



36665-88L10-000

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

GAUGE ADAPTER



36665-87L00-000

For using multiple SMFGs

36665-96L00-000

DUAL STATION ADAPTER

GAUGE POWER WIRE




36663-98J00-000

2.5m

36663-98J10-000

6.0m



SENSORS

SPEED SENSOR WITH T-CONNECTOR



34190-88L00-000

Paddle wheel-type speed sensor. 10ft cable.

GPS RECEIVER MODULE WITH T-CONNECTOR



39950-88L02-000

Displays the accurate location and speed on Multi-Function Gauges.

DUAL GAUGE ADAPTER WIRE

36667-96L00-000

36667-96L30-000

(For Tank 3-4)

GAUGE ADAPTER WIRE

36667-96L11-000

GAUGE EXTENSION WIRE

36667-96L20-000

SUZUKI KEYLESS START SYSTEM

HIGH SECURITY

- Suzuki original engine starting system features an immobilizer function for added peace of mind. IC access codes installed in the key-fob and engine must match for the engine to start. This prevents starting the engine with the wrong key making the system a good theft deterrent as well.



EASY OPERATION


- Suzuki original engine starting system offers a variety of functions. The key-fob is easy to carry and one is all you need to enjoy stress-free starts for greater boating pleasure.
- One step ahead of the competition, the Suzuki Keyless Start System requires no mechanical key so the key-fob remains safely in your pocket.

WATERPROOF FLOAT KEY-FOB

- The easy to carry key-fob remains safely in your pocket reducing risk of a lost key. The key-fob is waterproof and floats so should it ever go overboard it is retrievable.



Find out more by watching our videos




Basic Component




Refer to the next page for details

SUZUKI KEYLESS START SYSTEM for SUZUKI PRECISION CONTROL (S.P.C)



SUZUKI KEYLESS START SYSTEM for MECHANICAL REMOTE CONTROL SYSTEM



Basic Component



SUZUKI KEYLESS START SYSTEM for SUZUKI PRECISION CONTROL (S.P.C)				KIT		Total Required Quantity			
PART NUMBER	PART NAME	LENGTH	37170-96L03	37170-96L13	HARNESS SET 37105-96L01				
					SINGLE	DUAL	TRIPLE	QUAD	
1	37100-96L01-000	MAIN SWITCH PANEL	-	-	1	1	1	1	1
2	38500-93J90-000	BUZZER	-	-	1	1	1	1	1
3	37171-96L02-000	KEYLESS CONTROL UNIT	-	1	1	1	1	1	1
	37171-96L12-000		-	-	-	-	-	-	-
4	37172-96L00-000	KEYLESS FOB	-	2	2	2	2	2	2
	37172-96L10-000		-	-	-	-	-	-	-
5	36623-96L01-000	KEYLESS CONTROL HARNESS	-	-	1	1	1	1	1
6	36662-96L00-000	KEYLESS CAN HARNESS	6.5	-	1	1	1	1	1
7	36664-96L00-000	CAN EXTENSION HARNESS	0.8	-	-	1	2	3	-
8	38860-96L00-000	RELAY ASSY, KLS	-	-	1	1	1	1	1
9	37173-96L10-000	HOLDER, KLS PARTS	-	-	1	1	1	1	1
10	32980-38F00-000	HOLDER, CDI UNIT	-	-	1	1	1	1	1
11	32851-93J00-000	CUSHION	-	-	1	1	1	1	1
-	09407-14407-000	CLAMP, KLS HARNESS	-	-	1	1	1	1	1
-	37117-96L00-000	DECAL, KLS	-	2	-	-	-	-	-

■ 37170-96L03 (433.92MHz) or 37170-96L13 (315MHz)



SUZUKI KEYLESS START SYSTEM for MECHANICAL REMOTE CONTROL SYSTEM				KIT		Total Required Quantity	
PART NUMBER	PART NAME	LENGTH	37170-96L03	37170-96L13	HARNESS SET 37105-96L10		
					SINGLE	DUAL	
1	37100-96L11-000	MAIN SWITCH PANEL	-	-	1	-	
	37100-96L21-000	-	-	-	-	1	
2	38500-93J90-000	BUZZER	-	-	1	1	
3	37171-96L02-000	KEYLESS CONTROL UNIT	-	1	1	1	
	37171-96L12-000		-	-	-	-	
4	37172-96L00-000	KEYLESS FOB	-	2	2	2	
	37172-96L10-000		-	-	-	-	
5	36623-96L10-000	KEYLESS CONTROL HARNESS	-	-	1	1	
6	36662-96L10-000	KEYLESS CAN HARNESS	6.5	-	1	1	
7	36664-96L00-000	CAN EXTENSION HARNESS	0.8	-	-	1	
8	38860-96L00-000	RELAY ASSY, KLS	-	-	1	1	
9	37173-96L10-000	HOLDER, KLS PARTS	-	-	1	1	
12	36621-96L00-000	HARNESS ASSY, DUAL KLS ENG	-	-	-	1	
13	36663-96L10-000	WIRE COMP, KLS CAN EXT	2.0	-	-	1	
10	32980-38F00-000	HOLDER, CDI UNIT	-	-	1	1	
11	32851-93J00-000	CUSHION	-	-	1	1	
-	37117-96L00-000	DECAL, KLS	-	2	-	-	

■ 37170-96L03 (433.92MHz) or 37170-96L13 (315MHz)

Caution lamp Caution type
CHECK ENGINE Low battery-voltage or Other cautions on S.D.S
TEMP Overheat (Over-revolution)

Caution lamp Caution type
OIL Low oil-pressure (Over-revolution)
Oil change reminder
REV LIMIT Over-revolution

TACHOMETER



White



Black



White



Black



White



Black

34200-93J12-000 (White)

34200-93J00-000 (Black)

Gauge Size 4"

Applicable Model DF25A-250

Caution system alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

34200-93J51-000 (White)

34200-93J40-000 (Black)

Gauge Size 4"

Applicable Model DF40A-140A/200A

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

34200-93J32-000 (White)

34200-93J20-000 (Black)

Gauge Size 4"

Applicable Model DF8A-30A, DT30/40W

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

SPEEDOMETER



White



Black

34100-93J11-000 (White)

34100-93J00-000 (Black)

Gauge Size 4"

Maximum Speed 130km/h, 80mph

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



White



Black

34100-93J31-000 (White)

34100-93J20-000 (Black)

Gauge Size 4"

Maximum Speed 80km/h, 50mph

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



White



Black

34100-93J51-000 (White)

34100-93J40-000 (Black)

Gauge Size 4"

Maximum Speed 80km/h, 45knots

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.



34100-93J60-000

Gauge Size 4"

Background White

Maximum Speed 120km/h, 65knots

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

TRIM GAUGE



White



Black

34800-93J11-000 (White)

34800-93J00-000 (Black)

Gauge Size 2"

Applicable Model DF25A-250

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

FUEL GAUGE



White



Black

34300-93J11-000 (White)

34300-93J00-000 (Black)

Gauge Size 2"

Applicable Model DF8A-250, DT30/40

FUEL GAUGE alone works with the US Standard 2500 sending unit. Use the 1500 adaptor to connect the gauge to a European standard sending unit.

HOUR METER



White



Black

34500-93J11-000 (White)

34500-93J00-000 (Black)

Gauge Size 2"

Applicable Model DF8A-250, DT30/40

12-Volt-electric-motor driven meter indicates hours that your SUZUKI OUTBOARD MOTOR has been operated in order for you to know when each periodic service is required.

VOLTMETER



White



Black

34600-93J11-000 (White)

34600-93J00-000 (Black)

Gauge Size 2"

Applicable Model DF8A-250, DT30/40

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

WATER-PRESSURE GAUGE



White



Black

34650-93J31-000 (White)

34650-93J20-000 (Black)

Gauge Size 2"

Applicable Model DF40A-250

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.

SPEEDOMETER SENDER ASSY



34190-95500-000



34190-87D00-000

INSTALLATION KIT for WATER-PRESSURE GAUGE



34660-90J02-000

Applicable Model DF40A-140A


34660-93J00-000

Applicable Model DF200-250



KIT includes fittings and hoses needed for motor to gauge connection.

34660-96J00-000

Applicable Model DF150-175/200A



REMOTE-CONTROL KIT for SINGLE ENGINE




REMOTE-CONTROL KIT for SINGLE ENGINE				KIT				Total Required Quantity	
PART NUMBER	PART NAME	LENGTH	1st Station		2nd Station		SINGLE STATION	DUAL STATION	
			67000-98JE4-000	67000-98JM2-000	67000-98JE4-000	67000-98JL4-000			
1	67200-98J04-000 BINNACLE MOUNT R/C BOX		1	-	1	-	1	2	
	67200-98J23-000 FLUSH MOUNT R/C BOX		-	1	-	1	1	2	
2	37100-98J13-000 CONTROL PANEL		1	1	1	1	1	2	
3	37100-98J05-000 MAIN SWITCH PANEL		1	1	-	-	1	1	
4	37860-87L00-000 TROLL MODE SWITCH PANEL		1	1	1	1	1	2	
5	38500-93J90-000 WARNING BUZZER		1	1	1	1	1	2	
	09407-08401-000 WARNING BUZZER CLAMP		1	1	1	1	1	2	
6	36770-98J11-000 BOAT CONTROL MODULE		1	1	1	1	1	2	
	36775-98J00-000 BCM HOLDER (L)		1	1	1	1	1	2	
	36776-98J00-000 BCM HOLDER (R)		1	1	1	1	1	2	
	33911-88B10-000 BCM-CONNECT CAP		1	1	1	1	1	2	
	33925-93J00-000 BCM CUSHION		1	1	1	1	1	2	
7	33926-98J00-000 TERMINAL RESISTOR		2	2	-	-	2	2	
8	36625-98J10-000 BATTERY-LEAD		1	1	-	-	1	1	
9	36623-98J20-000 BCM #1 WIRING HARNESS		1	1	-	-	1	1	
10	36622-98J00-000 DUAL-STATION WIRING HARNESS		-	-	1	1	-	1	
11	36624-98J02-000 BCM #2 WIRING HARNESS		-	-	1	1	-	1	
12	38500-93J90-000 EMERGENCY SWITCH PANEL		-	-	1	1	-	1	
-	09403-13402-000 HARNESS CLAMP		10	10	10	10	-	-	
*13	36620-98J30-000 MAIN WIRING HARNESS	6.5m	-	-	-	-	1	2	
	36620-98J40-000 MAIN WIRING HARNESS EXTENSION	9.5m	-	-	-	-	-	-	
	36620-98J50-000 MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	-	-	-	

*13 is not included in these kits. Please purchase these items separately.

Basic Component

1 R/C BOX BINNACLE MOUNT R/C BOX	FLUSH MOUNT R/C BOX	2 CONTROL PANEL	
3 MAIN SWITCH PANEL	(for KEYLESS START SYSTEM)	4 TROLL MODE SWITCH PANEL	5 BUZZER
6 BOAT CONTROL MODULE	BCM HOLDER (L) BCM HOLDER (R)	BCM CONNECT CAP	BCM CUSHION
7 TERMINAL RESISTOR	8 BATTERY-LEAD	9 BCM #1 WIRING HARNESS	10 DUAL-STATION WIRING HARNESS
11 BCM #2 WIRING HARNESS	12 EMERGENCY SWITCH PANEL	13 MAIN WIRING HARNESS	MAIN WIRING HARNESS EXTENSION

REMOTE-CONTROL KIT for DUAL ENGINE



Installation Parts Different from SINGLE ENGINE


- 1** R/C BOX
BINNACLE MOUNT R/C BOX
- 2** CONTROL PANEL
- 12** EMERGENCY SWITCH
PANEL
- 14** ENGINE WIRING
HARNESS



REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Total Required Quantity	
				1st Station	2nd Station		
PART NUMBER	PART NAME	LENGTH	67000-98J64-000	67000-98JH4-000	SINGLE STATION	DUAL STATION	
			BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT			
1	67200-98J14-000	BINNACLE MOUNT R/C BOX	1	1	1	2	
2	37100-98J21-000	CONTROL PANEL	1	1	1	2	
3	37100-98J05-000	MAIN SWITCH PANEL	1	-	1	1	
4	37860-87L00-000	TROLL MODE SWITCH PANEL	1	1	1	2	
5	38500-93J90-000	WARNING BUZZER	1	1	1	2	
	09407-08401-000	WARNING BUZZER CLAMP	1	1	1	2	
6	36770-98J13-000	BOAT CONTROL MODULE	1	1	1	2	
	36775-98J00-000	BCM HOLDER (L)	1	1	1	2	
	36776-98J00-000	BCM HOLDER (R)	1	1	1	2	
	33925-93J00-000	BCM CUSHION	1	1	1	2	
7	33926-98J00-000	TERMINAL RESISTOR	2	-	2	2	
8	36625-98J10-000	BATTERY-LEAD	1	-	1	1	
9	36623-98J30-000	BCM #1 WIRING HARNESS	1	-	1	1	
10	36622-98J00-000	DUAL-STATION WIRING HARNESS	-	1	-	1	
11	36624-98J11-000	BCM #2 WIRING HARNESS	-	1	-	1	
12	37803-93J05-000	EMERGENCY SWITCH PANEL	-	1	-	1	
14	36621-98J00-000	ENGINE WIRING HARNESS	1	-	1	1	
-	09403-13402-000	HARNESS CLAMP	15	10	-	-	
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	1	2	
	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	-	-	
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	
-	36612-98J20-000	CONNECTOR, COUNTER SELECT	-	-	1	1	

*13 is not included in these kits. Please purchase these items separately.

REMOTE-CONTROL KIT for TRIPLE ENGINE



Installation Parts Different from SINGLE ENGINE


- 1** R/C BOX
BINNACLE MOUNT R/C BOX
- 2** CONTROL PANEL
- 12** EMERGENCY SWITCH
PANEL
- 14** ENGINE WIRING
HARNESS



REMOTE-CONTROL KIT for TRIPLE ENGINE				KIT		Total Required Quantity	
				1st Station	2nd Station		
PART NUMBER	PART NAME	LENGTH	67000-98J14-000	67000-98JK4-000	SINGLE STATION	DUAL STATION	
			BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT			
1	67200-98J14-000	BINNACLE MOUNT R/C BOX	1	1	1	2	
2	37100-98J31-000	CONTROL PANEL	1	1	1	2	
3	37100-98J05-000	MAIN SWITCH PANEL	1	-	1	1	
4	37860-87L00-000	TROLL MODE SWITCH PANEL	1	1	1	2	
5	38500-93J90-000	WARNING BUZZER	1	1	1	2	
	09407-08401-000	WARNING BUZZER CLAMP	1	1	1	2	
6	36770-98J13-000	BOAT CONTROL MODULE	1	1	1	2	
	36775-98J00-000	BCM HOLDER (L)	1	1	1	2	
	36776-98J00-000	BCM HOLDER (R)	1	1	1	2	
	33925-93J00-000	BCM CUSHION	1	1	1	2	
7	33926-98J00-000	TERMINAL RESISTOR	2	-	1	2	
8	36625-98J10-000	BATTERY-LEAD	1	1	2	2	
9	36623-98J30-000	BCM #1 WIRING HARNESS	1	-	1	1	
10	36622-98J00-000	DUAL-STATION WIRING HARNESS	-	1	1	1	
11	36624-98J11-000	BCM #2 WIRING HARNESS	-	1	-	1	
12	37803-93J05-000	EMERGENCY SWITCH PANEL	-	1	-	1	
14	36621-98J10-000	ENGINE WIRING HARNESS	1	-	-	1	
-	09403-13402-000	HARNESS CLAMP	18	10	-	-	
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	1	2	
	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	-	-	
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	
-	36612-98J20-000	CONNECTOR, COUNTER SELECT	-	-	1	1	

*13 is not included in these kits. Please purchase these items separately.

REMOTE-CONTROL KIT for QUADRUPLE ENGINE



Installation Parts Different from SINGLE ENGINE



REMOTE-CONTROL KIT for QUADRUPLE ENGINE				KIT		Total Required Quantity	
PART NUMBER	PART NAME	LENGTH	1st Station	2nd Station	SINGLE STATION	DUAL STATION	
			67000-98J74-000	67000-98J84-000			
1	67200-98J14-000	BINNACLE MOUNT R/C BOX	1	1	1	2	
2	37100-98J21-000	CONTROL PANEL	2	2	2	4	
3	37100-98J05-000	MAIN SWITCH PANEL	1	-	1	1	
4	37860-87L00-000	TROLL MODE SWITCH PANEL	1	1	1	2	
5	38500-93J90-000	WARNING BUZZER	2	2	2	4	
	09407-08401-000	WARNING BUZZER CLAMP	2	2	2	4	
	36770-98J21-000	BOAT CONTROL MODULE	2	2	2	4	
6	36775-98J00-000	BCM HOLDER (L)	2	2	2	4	
	36776-98J00-000	BCM HOLDER (R)	2	2	2	4	
	33925-93J00-000	BCM CUSHION	2	2	2	4	
7	33926-98J00-000	TERMINAL RESISTOR	4	-	4	4	
8	36625-98J10-000	BATTERY-LEAD	2	-	2	2	
9	36623-98J40-000	BCM #1 WIRING HARNESS	1	1	1	1	
10	36622-98J00-000	DUAL-STATION WIRING HARNESS	-	2	-	2	
12	37803-93J05-000	EMERGENCY SWITCH PANEL	-	1	-	1	
14	36621-98J00-000	ENGINE WIRING HARNESS	2	-	2	2	
-	09403-13402-000	HARNESS CLAMP	20	15	-	-	
	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	2	4	
*13	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	-	-	
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	
-	36612-98J20-000	CONNECTOR, COUNTER SELECT	2	-	2	2	

*13 is not included in these kits. Please purchase these items separately.

EXTRA OPTIONS AND INFORMATION


Lean Burn Fuel Control Technology

LEAN BURN

Fuel efficiency matters whether you're boating for pleasure or profit. Our Lean Burn Fuel Control Technology combined with Suzuki Precision Control, delivers the optimum fuel/air mixture to the engine. The system is designed to save fuel both at low speeds and up into the cruising range.



COMPARISON OF FUEL ECONOMY



Uses 14% less fuel compared to the original DF300, mainly in the cruising range where the engine is used a majority of the time.

Data used in the graph was obtained through in-house testing under uniformed conditions. Results will vary depending upon operating conditions (boat design, size, weight, weather, etc.)

COUNTER SELECT CONNECTOR




36612-98J20-000

Applicable Model DF150AP/175AP
DF200AP/250AP/300AP
Converts to counter rotation specification.

Suzuki Selective Rotation

In multi-outboard installations on large boats, a counter-rotation outboard is usually paired with a regular rotation model to help keep the boat traveling on an even keel and in a straight line. AP Models are built with special counter rotating gearing in the lower unit, which causes the prop to rotate in the opposite direction. Suzuki Selective Rotation eliminates the need to purchase a dedicated counter-rotation outboard by using a special switch that when connected to a circuit inside of the engine compartment, turns a regular rotation outboard into a counter-rotation model with a counter rotational propeller.* This industry first is made possible through a special, unified design of gears, shaft, and bearings in the lower unit that are designed to operate reliably and efficiently in either regular or counter-rotation directions.

* Make sure you consult with your dealer before changing Regular Rotation to Counter Rotation (or vice versa).



TROLL MODE SWITCH PANEL



SUZUKI TROLL MODE SYSTEM

An optional extra on Remote Control models from over DF40A, this easy-to-use system lets you adjust engine speed in 50rpm increments, giving highly precise control at low revs. With its own tachometer and control switch, it works alongside our multi-function gauges and analogue gauges. (Suzuki Troll Mode System is originally equipped with Tiller Handle models from over DF40A.)

*Not Applicable for DF150,175,200,225,250

37860-87L00-000

Applicable Model DF40A-140A/150AP/
175AP/200A/AP/250AP/
300AP/350A

Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.



REMOTE-CONTROL KIT for KEYLESS START SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE				KIT		Total Required Quantity
				Single Station		
				67000-98J95-000	67000-98JCS-000	SINGLE STATION
PART NUMBER	PART NAME	LENGTH		BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	
1	67200-98J04-000	BINNACLE MOUNT R/C BOX		1	-	1
	67200-98J23-000	FLUSH MOUNT R/C BOX		-	1	1
2	37100-98J11-000	CONTROL PANEL		1	1	1
3	37100-96L01-000	MAIN SWITCH PANEL		1	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1
5	38500-93J90-000	WARNING BUZZER		1	1	1
	09407-08401-000	WARNING BUZZER CLAMP		1	1	1
6	36770-98J13-000	BOAT CONTROL MODULE		1	1	1
	36775-98J00-000	BCM HOLDER (L)		1	1	1
	36776-98J00-000	BCM HOLDER (R)		1	1	1
	33911-88B0-000	BCM-CONNECT CAP		1	1	1
	33925-93J00-000	BCM CUSHION		1	1	1
7	33926-98J00-000	TERMINAL RESISTOR		2	2	2
8	36625-98J10-000	BATTERY-LEAD		1	1	1
9	36623-98J20-000	BCM #1 WIRING HARNESS		1	1	1
-	09403-13402-000	HARNESS CLAMP		10	10	-
	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	1
*13	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	-	-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for TRIPLE ENGINE				KIT		Total Required Quantity
				1st Station		
				67000-98JB5-000		SINGLE STATION
PART NUMBER	PART NAME	LENGTH		BINNACLE-MOUNT CONTROL KIT		
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1		1
2	37100-98J31-000	CONTROL PANEL		1		1
3	37100-96L01-000	MAIN SWITCH PANEL		1		1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1		1
5	38500-93J90-000	WARNING BUZZER		1		1
	09407-08401-000	WARNING BUZZER CLAMP		1		1
6	36770-98J13-000	BOAT CONTROL MODULE		1		1
	36775-98J00-000	BCM HOLDER (L)		1		1
	36776-98J00-000	BCM HOLDER (R)		1		1
	33925-93J00-000	BCM CUSHION		1		1
7	33926-98J00-000	TERMINAL RESISTOR		2		1
8	36625-98J10-000	BATTERY-LEAD		1		2
9	36623-98J30-000	BCM #1 WIRING HARNESS		1		1
-	36621-98J10-000	ENGINE WIRING HARNESS		1		1
-	09403-13402-000	HARNESS CLAMP		18		-
	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-		1
*13	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-		-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-		-
14	36664-96L00-000	HARNESS ASSY, KLS CAN		2		2
-	36612-98J20-000	CONNECTOR, COUNTER SELECT		1		1

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Total Required Quantity
				Single Station		
				67000-98JA5-000		SINGLE STATION
PART NUMBER	PART NAME	LENGTH		BINNACLE-MOUNT CONTROL KIT		
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1		1
2	37100-98J21-000	CONTROL PANEL		1		1
3	37100-96L01-000	MAIN SWITCH PANEL		1		1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1		1
5	38500-93J90-000	WARNING BUZZER		1		1
	09407-08401-000	WARNING BUZZER CLAMP		1		1
6	36770-98J13-000	BOAT CONTROL MODULE		1		1
	36775-98J00-000	BCM HOLDER (L)		1		1
	36776-98J00-000	BCM HOLDER (R)		1		1
	33925-93J00-000	BCM CUSHION		1		1
7	33926-98J00-000	TERMINAL RESISTOR		2		2
8	36625-98J10-000	BATTERY-LEAD		1		1
9	36623-98J30-000	BCM #1 WIRING HARNESS		1		1
-	36621-98J00-000	ENGINE WIRING HARNESS		1		1
-	09403-13402-000	HARNESS CLAMP		15		-
	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-		1
*13	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-		-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-		-
14	36664-96L00-000	HARNESS ASSY, KLS CAN		1		1
-	36612-98J20-000	CONNECTOR, COUNTER SELECT		1		1

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for QUADRUPEL ENGINE				KIT		Total Required Quantity
				1st Station		
				67000-98JD3-000		SINGLE STATION
PART NUMBER	PART NAME	LENGTH		BINNACLE-MOUNT CONTROL KIT		
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1		1
2	37100-98J21-000	CONTROL PANEL		2		2
3	37100-96L01-000	MAIN SWITCH PANEL		1		1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1		1
5	38500-93J90-000	WARNING BUZZER		2		2
	09407-08401-000	WARNING BUZZER CLAMP		2		2
6	36770-98J13-000	BOAT CONTROL MODULE		2		2
	36775-98J00-000	BCM HOLDER (L)		2		2
	36776-98J00-000	BCM HOLDER (R)		2		2
	33925-93J00-000	BCM CUSHION		2		2
7	33926-98J00-000	TERMINAL RESISTOR		4		4
8	36625-98J10-000	BATTERY-LEAD		2		2
9	36623-98J40-000	BCM #1 WIRING HARNESS		1		1
-	36621-98J00-000	ENGINE WIRING HARNESS		2		2
-	09403-13402-000	HARNESS CLAMP		20		-
	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-		2
*13	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-		-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-		-
14	36664-96L00-000	HARNESS ASSY, KLS CAN		3		3
-	36612-98J20-000	CONNECTOR, COUNTER SELECT		2		2

*13 is not included in these kits.
Please purchase these items separately.

MAIN SWITCH PANEL



37100-98J05-000
single ignition with Emergency-stop switch

BOAT CONTROL PANEL



37100-98J11-000
for Single-Engine



37100-98J21-000
for Dual-Engine, Quadruple-Engine



37100-98J31-000
for Triple-Engine


BOAT CONTROL MODULE (BCM)



36770-98J13-000

36770-98J21-000
for Quadruple-Engine

BCM HOLDER (L/R)



36775-98J00-000 Holder (L)

36776-98J00-000 Holder (R)

BCM-CONNECT CAP



33911-88BL0-000

BCM CUSHION



33925-93J00-000

MAIN WIRING HARNESS



36620-98J30-000
6.5 meters for control system

36620-98J40-000
9.5 meters for control system

MAIN-WIRING-HARNESS EXTENSION



36620-98J50-000
2.0 meters for control system

ENGINE WIRING HARNESS



36621-98J00-000
for Dual-Engine

36621-98J10-000
for Triple-Engine

DUAL-STATION WIRING HARNESS



36622-98J00-000
for Dual-station control system

BCM #1 WIRING HARNESS



36623-98J20-000
for Single-Engine and Single (First) station

36623-98J30-000
for Dual or Triple-Engine and Single (First) station

36623-98J40-000
for Quadruple-Engine

BCM #2 WIRING HARNESS



36624-98J02-000
for Single-Engine and Second station

36624-98J11-000
for Dual or Triple-Engine and Second station

36623-98J40-000
for Quadruple-Engine and Second station

HARNESS EXTENSION

36627-98J00-000
1 meters

BATTERY LEAD




36625-98J10-000
6.5 meters

TERMINAL RESISTOR




33926-98J00-000

REMOTE-CONTROL KIT for SINGLE ENGINE



Gauge Kit Component




Basic Kit Component



REMOTE-CONTROL KIT for SINGLE ENGINE			KIT					Required
Part Number	Part Name	Length	67000-88L01-000	67000-88L21-000	67000-93J28-000	67000-93J93-000	67000-93J82-000	
1	67200-88L00-000 BINNACLE MOUNT R/C BOX		1	1	-	-	-	1
	67200-93J33-000 FLUSH MOUNT R/C BOX		-	-	1	1	-	
	67200-93J51-000 SIDE MOUNT R/C BOX		-	-	-	-	1	
2	37100-96J25-000 SINGLE IGNITION WITH E/S SWITCH		1	1	1	1	*A	1
	36620-93J02-000	6.5m	-	1	-	1	1	
3	36620-93J52-000 MAIN WIRING HARNESS	5.0m	-	-	-	-	-	1
	36620-93J62-000	8.0m	-	-	-	-	-	
(a)	34200-93J12-000 TACHOMETER (FACE : WHITE)		-	1	-	1	1	
(b)	34800-93J11-000 TRIM GAUGE (FACE : WHITE)		-	1	-	1	1	
4	67320-93J00-000 R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	8ft. / 2.44m						2
	67320-93J10-000	10ft. / 3.05m						
	67320-93J20-000	12ft. / 3.66m						
	67320-93J30-000	14ft. / 4.27m						
	67320-93J40-000	16ft. / 4.88m						
	67320-93J50-000	18ft. / 5.49m						
	67320-93J60-000	20ft. / 6.10m						
	67320-93J70-000	22ft. / 6.71m						
	67320-93J80-000	24ft. / 7.32m						
	36620-93J10-000 MAIN WIRING HARNESS EXTENSION	2m						
	36620-93J40-000	3m						

■ The high-lighted products are optional. Please make your best choice depending on your boat.
 ■ *A The side mount control box is equipped with ignition switch, emergency switch and warning buzzer with clamp.

REMOTE-CONTROL KIT for DUAL ENGINE




Basic Kit Component



REMOTE-CONTROL KIT for DUAL ENGINE			KIT		Required
Part Number	Part Name	Length	67000-88L11-000	67000-88L31-000	
1	67200-88L10-000 BINNACLE MOUNT R/C BOX		1	1	1
2	37100-96J15-000 DUAL IGNITION WITH E/S SWITCH		1	1	1
	36620-93J02-000	6.5m	-	2	
3	36620-93J52-000 MAIN WIRING HARNESS	5.0m	-	-	2
	36620-93J62-000	8.0m	-	-	
(a)	34200-93J12-000 TACHOMETER (FACE : WHITE)		-	2	
(b)	34800-93J11-000 TRIM GAUGE (FACE : WHITE)		-	2	
4	67320-93J00-000 R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	8ft. / 2.44m			4
	67320-93J10-000	10ft. / 3.05m			
	67320-93J20-000	12ft. / 3.66m			
	67320-93J30-000	14ft. / 4.27m			
	67320-93J40-000	16ft. / 4.88m			
	67320-93J50-000	18ft. / 5.49m			
	67320-93J60-000	20ft. / 6.10m			
	67320-93J70-000	22ft. / 6.71m			
	67320-93J80-000	24ft. / 7.32m			
	36620-93J10-000 MAIN WIRING HARNESS EXTENSION	2m			1
	36620-93J40-000	3m			

■ The high-lighted products are optional. Please make your best choice depending on your boat.

Gauge Kit Component



REMOTE-CONTROL KIT for SINGLE ENGINE (KEYLESS START SYSTEM)

REMOTE-CONTROL KIT for SINGLE ENGINE				KIT					Required
PART NUMBER	PART NAME	LENGTH	67000-88L41-000	67000-88L61-000	67000-93JF2-000	67000-93JK2-000	67000-93JJ1-000	SINGLE STATION	
			BINNACLE-MOUNT CONTROL KIT	BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	SIDE-MOUNT CONTROL KIT		
1	67200-88L00-000	BINNACLE MOUNT R/C BOX	1	1	-	-	-	1	
	67200-93J33-000	FLUSH MOUNT R/C BOX	-	-	1	1	-		
	67200-96L01-000	SIDE MOUNT R/C BOX	-	-	-	-	1		
2	37100-96L11-000	SINGLE IGNITION WITH E/S SWITCH	1	1	1	1	*A	1	
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	1	-	1	1	1	
	36620-93J52-000		5.0m	-	-	-	-		
	36620-93J62-000		8.0m	-	-	-	-		
(a)	34200-93J12-000	TACHOMETER (FACE : WHITE)	-	1	-	1	1		
(b)	34800-93J11-000	TRIM GAUGE (FACE : WHITE)	-	1	-	1	1		
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	8ft. / 2.44m					2	
	67320-93J10-000		10ft. / 3.05m						
	67320-93J20-000		12ft. / 3.66m						
	67320-93J30-000		14ft. / 4.27m						
	67320-93J40-000		16ft. / 4.88m						
	67320-93J50-000		18ft. / 5.49m						
	67320-93J60-000		20ft. / 6.10m						
	67320-93J70-000		22ft. / 6.71m						
67320-93J80-000	24ft. / 7.32m								
-	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m						
-	36620-93J40-000		3m						

■ The high-lighted products are optional. Please make your best choice depending on your boat.

■ *A The side mount control box is equipped with ignition switch, emergency switch and warning buzzer with clamp.



REMOTE-CONTROL KIT for DUAL ENGINE (KEYLESS START SYSTEM)

REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Required
PART NUMBER	PART NAME	LENGTH	67000-88L51-000	67000-88L71-000	SINGLE STATION	
			BINNACLE-MOUNT CONTROL KIT	BINNACLE-MOUNT CONTROL KIT		
1	67200-88L10-000	BINNACLE MOUNT R/C BOX	1	1	1	
2	37100-96L21-000	DUAL IGNITION WITH E/S SWITCH	1	1	1	
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	-	2	
			5.0m	-	-	
			8.0m	-	-	
(a)	34200-93J12-000	TACHOMETER (FACE : WHITE)	-	2		
(b)	34800-93J11-000	TRIM GAUGE (FACE : WHITE)	-	2		
4	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	8ft. / 2.44m			4	
		10ft. / 3.05m				
		12ft. / 3.66m				
		14ft. / 4.27m				
		16ft. / 4.88m				
		18ft. / 5.49m				
		20ft. / 6.10m				
		22ft. / 6.71m				
24ft. / 7.32m						
-	36620-93J10-000	MAIN WIRING HARNESS EXTENSION		1		
-	36620-93J40-000		3m			
-	36621-96L00-000	HARNSS ASSY,DUAL KLS ENG	1	1		
-	36663-96L10-000	WIRE COMP,KLS CAN EXT	1	1		
-	36664-96L00-000	HARNSS ASSY,KLS CAN	1	1		

■ The high-lighted products are optional. Please make your best choice depending on your boat.



COMPONENT OF MECHANICAL REMOTE CONTROL SYSTEM

BINNACLE-MOUNT REMOTE CONTROL BOX



67200-88L00-000
for Single-Engine
Applicable Model DF8A-250



67200-88L10-000
for Dual-Engine
Applicable Model DF8A-250



67200-93J33-000
for Single-Engine
Applicable Model DF8A-250



67200-91J20-000
for Single-Engine
Applicable Model DF4A-6A

SPACER KIT for REMOTE CONTROL BOX



67500-88L00-000
for Single Binnacle-mount type
Applicable Model DF8A-250



67500-88L10-000
for Dual Binnacle-mount type
Applicable Model DF8A-250

BATTERY LEAD



67200-94J20-000
for Single-Engine. With warning buzzer
Applicable Model DF8A-30A

67200-93J51-000
for Single-Engine. With PTT switch
Applicable Model DF9.9B-250

67200-89E40-000
for Single-Engine. With warning buzzer
Applicable Model DT30/40W

67200-96L01-000
for Single-Engine. With PTT switch
Applicable Model DF9.9B-250

67200-97E50-000
for Single-Engine. With warning buzzer
Applicable Model DT40WR

67200-963A0-000
for Single-Engine
Applicable Model DT30R

MAIN WIRING HARNESS



36620-93J02-000
6.5 meters for Control system
Applicable Model DF40A-250

36620-93J52-000
5.0 meters for Control system
Applicable Model DF40A-250

36620-94L00-000
6.5 meters for Control system
Applicable Model DF25A/30A

36620-93J62-000
8.0 meters for Control system
Applicable Model DF40A-250

36620-94J01-000
6.5 meters for Control system without Monitor-signal wire, Trim-sender wire and PTT-SW wire
Applicable Model DF8A/9.9B/15A/20A

36620-94L10-000
6.5 meters for Control system without Trim-sender wire and PTT-SW wire
Applicable Model DF25A/30A

MAIN WIRING HARNESS EXTENSION

36620-93J10-000
2.0 meters for Control system
Applicable Model DF9.9B-250

36620-93J40-000
3.0 meters for Control system
Applicable Model DF9.9B-250

IGNITION SWITCH PANEL



37100-96J00-000
Single ignition
Applicable Model DF9.39B-250

37100-99E00-000
Single ignition
Applicable Model DT30



37100-96J25-000
Single ignition with Emergency-stop switch
Applicable Model DF9.9B-250



37100-96J15-000
Dual ignition with Emergency-stop switch
Applicable Model DF9.9B-250

EMERGENCY SWITCH PANEL



37803-93J05-000
Applicable Model DF9.9B-300AP

37803-99E05-000
Applicable Model DT30

LIGHTING SWITCH PANEL



37210-93J00-000
Applicable Model DF9.9B-250, DT30/40W

PTT SWITCH PANEL



37805-93J00-000
Applicable Model DF40A-250

WARNING BUZZER



38500-93J90-000
Applicable Model DF9.9B-300AP

REMOTE-CONTROL CABLE



GENUINE REMOTE-CONTROL CABLES employ the latest in cable technology. The inner core is encased in nylon, and travels back and forth in a high-density polyethylene liner.

67320-93J00-000
8 feet 2.44 meters
Applicable Model DF4A-250, DT30/40W

67320-93J10-000
10 feet 3.05 meters
Applicable Model DF4A-250, DT30/40W

67320-93J20-000
12 feet 3.66 meters
Applicable Model DF4A-250, DT30/40W

67320-93J30-000
14 feet 4.27 meters
Applicable Model DF4A-250, DT30/40W

67320-93J40-000
16 feet 4.88 meters
Applicable Model DF4A-250, DT30/40W

67320-93J50-000
18 feet 5.49 meters
Applicable Model DF4A-250, DT30/40W

67320-93J60-000
20 feet 6.10 meters
Applicable Model DF4A-250, DT30/40W

67320-93J70-000
22 feet 6.71 meters
Applicable Model DF4A-250, DT30/40W

67320-93J80-000
24 feet 7.32 meters
Applicable Model DF4A-250, DT30/40W

REMOTE-CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.



67130-94L02-000
Applicable Model DF25A/30A

67130-94L12-000
Applicable Model DF25ATH/30ATH

67130-99J01-000
CLAMP BRACKET SET (41100-99J00-0EP) is required for installing 67130-99J00-000.
Applicable Model DF8A/9.9A

67130-91L00-YAY
Applicable Model DT25K/30

67130-94812-000
Applicable Model DT40W

67101-97L00-000
Applicable Model DF4A-6A

67130-89L10-000
Applicable Model DF9.9B/15A/20A

67130-93820-000
Applicable Model DT9.9A/DT9.9AK/
DT15A/DT15AK

TWIN REMOTE-CONTROL ATTACHMENT KIT



67140-95600-000
Applicable Model DF8A-250, DT30/40W

RIGGING TUBE



990C0-20010-000
Applicable Model DF70A-DF300AP
*Connect to the hose adapter equipped on the engine

CLAMP BRACKET SET

41100-99JL0-YAY
Applicable Model DF8A/9.9A

TROLL MODE SWITCH PANEL



37860-87L00-000
Applicable Model DF40A-140A/150AP/
175AP/200A/AP/ 250AP/
300AP/350A

Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

SUZUKI TROLL MODE SYSTEM

An optional extra on Remote Control models from over DF40A, this easy-to-use system lets you adjust engine speed in 50rpm increments, giving highly precise control at low revs. With its own tachometer and control switch, it works alongside our multi-function gauges and analogue gauges. (Suzuki Troll Mode System is originally equipped with Tiller Handle models from over DF40A.)

*Not Applicable for DF150,175,200,225,250



PROPELLER

* Be sure to use propellers with the same pitch both before and after.



Part number	FRONT/REAR	Material	Blade	Diameter	Pitch
58500-98L60-000	FRONT	Stainless	3	15 1/2	19.5
58600-98L60-000	REAR				
58500-98L00-000	FRONT	Stainless	3	15 1/2	21
58600-98L00-000	REAR				
58500-98L10-000	FRONT	Stainless	3	15 1/2	22.5
58600-98L10-000	REAR				
58500-98L20-000	FRONT	Stainless	3	15 1/2	24
58600-98L20-000	REAR				
58500-98L30-000	FRONT	Stainless	3	15 1/2	25.5
58600-98L30-000	REAR				
58500-98L40-000	FRONT	Stainless	3	15 1/2	27
58600-98L40-000	REAR				
58500-98L50-000	FRONT	Stainless	3	15 1/2	28.5
58600-98L50-000	REAR				
58500-98L70-000	FRONT	Stainless	3	15 1/2	30
58600-98L70-000	REAR				
58500-98L80-000	FRONT	Stainless	3	15 1/2	31.5
58600-98L80-000	REAR				

HARDWARE FOR PROPELLER

Applicable Model	STOPPER	PROPELLER BUSH	FRONT HARDWARE KIT				
			SPACER	STOPPER	NUT		
DF350A	58531-98L00-000	58520-98L00-000	Press-IN	58540-98L00-000	58541-98L00-000	58551-98L00-000	58561-98L00-000

Applicable Model	STOPPER	PROPELLER BUSH	REAR HARDWARE KIT					
			SPACER	WASHER	NUT	COTTER PIN		
DF350A	58631-98L00-000	58620-98L00-000	Press-IN	58640-98L00-000	58641-98L00-000	09160-18019-000	09141-18005-000	09204-03003-000

REMOTE-CONTROL KIT for SINGLE ENGINE		KIT				Total Required Quantity	
		1st Station		2nd Station			
PART NUMBER	PART NAME	67000-98JE4-000	67000-98JM2-000	67000-98JF4-000	67000-98JL4-000	SINGLE STATION	DUAL STATION
		BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT		
67200-98J04-000	BINNACLE MOUNT R/C BOX	1	-	1	-	1	2
67200-98J23-000	FLUSH MOUNT R/C BOX	-	1	-	1	1	2
37100-98J13-000	CONTROL PANEL	1	1	1	1	1	1
37100-98J04-000	MAIN SWITCH PANEL	1	1	-	-	1	2
37860-87L00-000	TROLL MODE SWITCH PANEL	1	1	1	1	1	2
38500-93J90-000	WARNING BUZZER	1	1	1	1	1	2
09407-08401-000	WARNING BUZZER CLAMP	1	1	1	1	1	2
36770-98J13-000	BOAT CONTROL MODULE	1	1	1	1	1	2
36775-98J00-000	BCM HOLDER (L)	1	1	1	1	1	2
36776-98J00-000	BCM HOLDER (R)	1	1	1	1	1	2
33911-88BLO-000	BCM-CONNECT CAP	1	1	1	1	1	2
33925-93J00-000	BCM CUSHION	1	1	1	1	1	2
33926-98J00-000	TERMINAL RESISTOR	1	1	-	-	2	2
36625-98J10-000	BATTERY-LEAD	1	1	-	-	1	1
36623-98J20-000	BCM #1 WIRING HARNESS	1	1	-	-	1	1
36622-98J00-000	DUAL-STATION WIRING HARNESS	-	-	1	1	-	1
36624-98J02-000	BCM #2 WIRING HARNESS	-	-	1	1	-	1
37803-93J04-000	EMERGENCY SWITCH PANEL	-	-	1	1	-	1
09403-13402-000	HARNESS CLAMP	10	10	10	10	-	-

*These Remote Control Kits are also adaptable for other models.

REMOTE-CONTROL KIT for DUAL ENGINE		KIT		Total Required Quantity	
		1st Station	2nd Station		
PART NUMBER	PART NAME	67000-98JG4-000	67000-98JH4-000	SINGLE STATION	DUAL STATION
		BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT		
67200-98J04-000	BINNACLE MOUNT R/C BOX	1	1	1	2
37100-98J21-000	CONTROL PANEL	1	1	1	2
37100-98J04-000	MAIN SWITCH PANEL	1	-	1	1
37860-87L00-000	TROLL MODE SWITCH PANEL	1	1	1	2
38500-93J90-000	WARNING BUZZER	1	1	1	2
09407-08401-000	WARNING BUZZER CLAMP	1	1	1	2
36770-98J13-000	BOAT CONTROL MODULE	1	1	1	2
36775-98J00-000	BCM HOLDER (L)	1	1	1	2
36776-98J00-000	BCM HOLDER (R)	1	1	1	2
33925-93J00-000	BCM CUSHION	1	1	1	2
33926-98J00-000	TERMINAL RESISTOR	1	-	2	2
36625-98J10-000	BATTERY-LEAD	1	-	1	1
36623-98J20-000	BCM #1 WIRING HARNESS	1	-	1	1
36622-98J00-000	DUAL-STATION WIRING HARNESS	-	1	-	1
36624-98J02-000	BCM #2 WIRING HARNESS	-	1	-	1
37803-93J04-000	EMERGENCY SWITCH PANEL	-	1	-	1
09403-13402-000	HARNESS CLAMP	15	10	-	-
36612-98J20-000	COUNTER SELECT CONNECTOR	1	-	1	1

*These Remote Control Kits are also adaptable for other models.

REMOTE-CONTROL KIT for TRIPLE ENGINE		KIT		Total Required Quantity	
		1st Station	2nd Station		
PART NUMBER	PART NAME	67000-98JJ4-000	67000-98JK4-000	SINGLE STATION	DUAL STATION
		BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT		
67200-98J14-000	BINNACLE MOUNT R/C BOX	1	1	1	2
37100-98J31-000	CONTROL PANEL	1	1	1	2
37100-98J04-000	MAIN SWITCH PANEL	1	-	1	1
37860-87L00-000	TROLL MODE SWITCH PANEL	1	1	1	2
38500-93J90-000	WARNING BUZZER	1	1	1	2
09407-08401-000	WARNING BUZZER CLAMP	1	1	1	2
36770-98J13-000	BOAT CONTROL MODULE	1	1	1	2
36775-98J00-000	BCM HOLDER (L)	1	1	1	2
36776-98J00-000	BCM HOLDER (R)	1	1	1	2
33925-93J00-000	BCM CUSHION	1	1	1	2
33926-98J00-000	TERMINAL RESISTOR	1	-	2	2
36625-98J10-000	BATTERY-LEAD	1	-	1	1
36623-98J30-000	BCM #1 WIRING HARNESS	1	-	1	1
36622-98J00-000	DUAL-STATION WIRING HARNESS	-	1	1	1
36624-98J11-000	BCM #2 WIRING HARNESS	-	1	-	1
37803-93J04-000	EMERGENCY SWITCH PANEL	-	1	-	1
09403-13402-000	HARNESS CLAMP	18	10	-	-
36612-98J20-000	COUNTER SELECT CONNECTOR	1	-	1	1

*These Remote Control Kits are also adaptable for other models.

REMOTE-CONTROL KIT for QUADRUPLE ENGINE		KIT		Total Required Quantity	
		1st Station	2nd Station		
PART NUMBER	PART NAME	67000-98J74-000	67000-98J84-000	SINGLE STATION	DUAL STATION
		BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT		
67200-98J14-000	BINNACLE MOUNT R/C BOX	1	1	1	2
37100-98J21-000	CONTROL PANEL	1	1	2	4
37100-98J04-000	MAIN SWITCH PANEL	1	-	1	1
37860-87L00-000	TROLL MODE SWITCH PANEL	1	1	1	2
38500-93J90-000	WARNING BUZZER	1	1	2	4
09407-08401-000	WARNING BUZZER CLAMP	1	1	2	4
36770-98J21-000	BOAT CONTROL MODULE	1	1	2	4
36775-98J00-000	BCM HOLDER (L)	1	1	1	2
36776-98J00-000	BCM HOLDER (R)	1	1	1	2
33925-93J00-000	BCM CUSHION	1	1	1	2
33927-98J00-000	EXTENSION HARNESS	1	1	1	1
33926-98J00-000	TERMINAL RESISTOR	4	-	4	4
36625-98J10-000	BATTERY-LEAD	2	-	2	2
36623-98J40-000	BCM #1 WIRING HARNESS	1	1	1	1
36622-98J00-000	DUAL-STATION WIRING HARNESS	-	2	-	2
37803-93J04-000	EMERGENCY SWITCH PANEL	-	1	-	1
09403-13402-000	HARNESS CLAMP	20	15	-	-
36612-98J20-000	COUNTER SELECT CONNECTOR	2	-	2	2

*These Remote Control Kits are also adaptable for other models.

REMOTE-CONTROL KIT for KEYLESS START SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE		KIT		Total Required Quantity
		Single Station		
		67000-98J95-000	67000-98JC5-000	
PART NUMBER	PART NAME	BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	SINGLE STATION
67200-98J04-000	BINNACLE MOUNT R/C BOX	1	-	1
67200-98J23-000	FLUSH MOUNT R/C BOX	-	1	1
37100-98J11-000	CONTROL PANEL	1	1	1
37100-96L00-000	MAIN SWITCH PANEL	1	1	1
37860-87L00-000	TROLL MODE SWITCH PANEL	1	1	1
38500-93J90-000	WARNING BUZZER	1	1	1
09407-08401-000	WARNING BUZZER CLAMP	1	1	1
36770-98J13-000	BOAT CONTROL MODULE	1	1	1
36775-98J00-000	BCM HOLDER (L)	1	1	1
36776-98J00-000	BCM HOLDER (R)	1	1	1
33925-93J00-000	BCM CUSHION	1	1	1
33926-98J00-000	TERMINAL RESISTOR	2	2	2
36625-98J10-000	BATTERY-LEAD	1	1	1
36623-98J30-000	BCM #1 WIRING HARNESS	1	1	1
09403-13402-000	HARNESS CLAMP	10	10	-

■ *These Remote Control Kits are also adaptable for other models

REMOTE-CONTROL KIT for TRIPLE ENGINE		KIT		Total Required Quantity
		Single Station		
		67000-98J85-000		
PART NUMBER	PART NAME	BINNACLE-MOUNT CONTROL KIT		SINGLE STATION
67200-98J14-000	BINNACLE MOUNT R/C BOX	1		1
37100-98J31-000	CONTROL PANEL	1		1
37100-96L00-000	MAIN SWITCH PANEL	1		1
37860-87L00-000	TROLL MODE SWITCH PANEL	1		1
38500-93J90-000	WARNING BUZZER	1		1
09407-08401-000	WARNING BUZZER CLAMP	1		1
36770-98J13-000	BOAT CONTROL MODULE	1		1
36775-98J00-000	BCM HOLDER (L)	1		1
36776-98J00-000	BCM HOLDER (R)	1		1
33925-93J00-000	BCM CUSHION	1		1
33926-98J00-000	TERMINAL RESISTOR	2		2
36625-98J10-000	BATTERY-LEAD	1		1
36623-98J30-000	BCM #1 WIRING HARNESS	1		1
09403-13402-000	HARNESS CLAMP	15		-
36621-98J10-000	TRIPLE ENGINE HARNESS	1		1
36612-98J20-000	COUNTER SELECT CONNECTOR	1		1
36664-96L00-000	HARNESS ASSY, KLS CAN	-		2

■ *These Remote Control Kits are also adaptable for other models

REMOTE-CONTROL KIT for DUAL ENGINE		KIT		Total Required Quantity
		Single Station		
		67000-98JA5-000		
PART NUMBER	PART NAME	BINNACLE-MOUNT CONTROL KIT		SINGLE STATION
67200-98J14-000	BINNACLE MOUNT R/C BOX	1		1
37100-98J21-000	CONTROL PANEL	1		1
37100-96L00-000	MAIN SWITCH PANEL	1		1
37860-87L00-000	TROLL MODE SWITCH PANEL	1		1
38500-93J90-000	WARNING BUZZER	1		1
09407-08401-000	WARNING BUZZER CLAMP	1		1
36770-98J13-000	BOAT CONTROL MODULE	1		1
36775-98J00-000	BCM HOLDER (L)	1		1
36776-98J00-000	BCM HOLDER (R)	1		1
33925-93J00-000	BCM CUSHION	1		1
33926-98J00-000	TERMINAL RESISTOR	2		2
36625-98J10-000	BATTERY-LEAD	1		1
36623-98J30-000	BCM #1 WIRING HARNESS	1		1
09403-13402-000	HARNESS CLAMP	15		-
36621-98J00-000	DUAL ENGINE HARNESS	1		1
36664-96L00-000	HARNESS ASSY, KLS CAN	-		1
36612-98J20-000	CONNECTOR, COUNTER SELECT	1		1

■ *These Remote Control Kits are also adaptable for other models

REMOTE-CONTROL KIT for QUADRUPLE ENGINE		KIT		Total Required Quantity
		Single Station		
		67000-98JD3-000		
PART NUMBER	PART NAME	BINNACLE-MOUNT CONTROL KIT		SINGLE STATION
67200-98J14-000	BINNACLE MOUNT R/C BOX	1		1
37100-98J21-000	CONTROL PANEL	2		2
37100-96L00-000	MAIN SWITCH PANEL	1		1
37860-87L00-000	TROLL MODE SWITCH PANEL	1		1
38500-93J90-000	WARNING BUZZER	2		2
09407-08401-000	WARNING BUZZER CLAMP	2		2
36770-98J13-000	BOAT CONTROL MODULE	2		2
36775-98J00-000	BCM HOLDER (L)	2		2
36776-98J00-000	BCM HOLDER (R)	2		2
33925-93J00-000	BCM CUSHION	2		2
33926-98J00-000	TERMINAL RESISTOR	4		4
36625-98J10-000	BATTERY-LEAD	2		2
36623-98J40-000	BCM #1 WIRING HARNESS	1		1
09403-13402-000	HARNESS CLAMP	20		-
36621-98J00-000	DUAL ENGINE HARNESS	2		2
36612-98J20-000	COUNTER SELECT CONNECTOR	2		2
36664-96L00-000	HARNESS ASSY, KLS CAN	3		3

■ *These Remote Control Kits are also adaptable for other models



TILLER HANDLE KIT



63002-88L22-YAY

Applicable Model
DF40A/50A

63002-88L12-YAY

Applicable Model
DF60A/50AV/60AV

63002-87L13-YAY

Applicable Model
DF70A-90A

63002-90J33-YAY

Applicable Model
DF100A/115A

Main features



Tachometer with warning indicators



Three-position angle adjustable bracket



Troll mode switch
· Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.



Power trim & tilt switch and throttle grip friction adjuster

DUAL-ENGINE TIE-BAR



67600-90J00-000

Stainless steel
Applicable Model DF100A-140A

67600-93J00-000

Stainless steel
Applicable Model DF150-250

STEERING EXTENSION KIT



67630-93J00-000

for installation of DUAL-ENGINE TIE-BAR (67600-93J00-000)

Applicable Model DF150-250

DRAG-LINK KIT



67700-87L01-000

Applicable Model DF70A-90A

67700-93J00-000

Applicable Model DF40A-60A/200-250

67700-96J00-000

Applicable Model DF150-175/200A/AP

67701-87J11-000

Applicable Model DF40A-60A/200-250

67701-87L01-000

Applicable Model DF70A-90A

67701-90J01-000

Applicable Model DF100A-140A

67701-96J00-000

Applicable Model DF150-175/200A/AP

67701-94420-000

Applicable Model DT25K/30

67701-94L00-000

Applicable Model DF25A/30A

67701-99J02-000

Applicable Model DF8A-DF20A

STEERING-BRACKET ATTACHMENT



43755-87L00-000

Applicable Model DF70A/90A

43755-88L00-000

Applicable Model DF40A-60A

43755-94L00-000

Applicable Model DF25A-30A

43755-99J00-000

Applicable Model DF8A-20A

43755-96320-000

Applicable Model DT25K/30/40W

STEERING CABLE SEAL




41161-94400-000

Applicable Model DF8A-250, DT25K-40W

BATTERY CHARGING KIT

- Optional equipment for charging Battery
- Required for : DF4A/5A/6A, DF8A/9.9A, DF9.9B/15A/20A, DF25A/30A, DT9.9A/15A, DT25K, DT30, DT40W.



DF series


APPLICABLE MODEL	BATTERY CHARGING KIT RECTIFIER and REGULATOR SET RECEPTACLE KIT
DF4A/5A/6A	32000-97L00-000 32801-97L00-000 39600-97L00-000
DF8A/9.9A	32000-99J00-000 32801-95J01-000 39600-94J01-000
DF9.9B/15A/20A	32000-89L01-000 32801-89L01-000 39600-89L01-000
DF25A/30A	32000-94L01-000 32800-88L01-000 39600-94L00-000 32815-94L00-000 (BRACKET) 01550-06207-000 (BOLT)

DT series

APPLICABLE MODEL	BATTERY CHARGING KIT			QTY
	RECTIFIER SET	RECEPTACLE SET	REGULATOR	
DT9.9A/15A	32801-93903-000	39600-93910-000	32500-95722-000 REGULATOR ASSY, VOLTAGE	1
			32590-93900-000 STAY, VOLTAGE REGULATOR	1
			02162-06127-000 SCREW, VOLTAGE REGULATOR	2
			08310-00067-000 NUT, VOLTAGE REGULATOR	2
			08321-01067-000 WASHER, VOLTAGE REGULATOR LOCK	2
			08322-01067-000 WASHER, VOLTAGE REGULATOR	2
DT25K/30	32801-96304-000	39600-93910-000	32500-95722-000 REGULATOR ASSY, VOLTAGE	1
			02162-06127-000 SCREW, VOLTAGE REGULATOR	2
			08322-01067-000 WASHER, VOLTAGE REGULATOR	2
DT40W	32801-94402-000	39600-93910-000	32500-95722-000 REGULATOR ASSY, VOLTAGE	1
			02162-06127-000 SCREW, VOLTAGE REGULATOR	2
			08321-01067-000 WASHER	2

ELECTRIC STARTER KIT

- Optional materials for Converting Manual Starter model into Electric Starter model.
- * Electric Starter Kit functions as Battery charging Kit as well.



DF series

APPLICABLE MODEL	ELECTRIC STARTER KIT
DF4A/5A/6A	—
DF8A/9.9A	31000-99J01-000
DF25A/30A	31000-94L04-000
DF9.9B/15A/20A	31000-89L07-000 (For -17MY) 31000-89L10-000 (For 18MY-)
	DF9.9B 33920-89LL0-000 DF15A 33920-89LG0-000 DF20A 33920-89LJ0-000 DF20A(P40) 3390-89LN0-000

DT series


APPLICABLE MODEL	ELECTRIC STARTER		REGULATOR	
	QTY		QTY	
DT9.9A/15A	1	36740-93901-000 CASE ASSY, FUSE	1	32500-95722-000 REGULATOR ASSY, VOLTAGE
	1	32102-90L20-000 FLYWHEEL COMP, MAGNETO	1	32590-93900-000 STAY, VOLTAGE REGULATOR
	1	31101-93920-0ED MOTOR SET, STARTING	2	02162-06127-000 SCREW, VOLTAGE REGULATOR
	1	32200-93910-000 SET, LIGHTING COIL	2	08310-00067-000 NUT, VOLTAGE REGULATOR
	1	32801-93903-000 RECTIFIER SET	2	08321-01067-000 WASHER, VOLTAGE REGULATOR LOCK
	1	33800-93905-000 SET, STARTING CABLE & SWITCH*1	2	08322-01067-000 WASHER, VOLTAGE REGULATOR
DT30	1	33800-95L03-000 SET, STARTING CABLE & SWITCH*2	1	32500-95722-000 REGULATOR ASSY, VOLTAGE
	1	31101-96320-0ED MOTOR SET, STARTING	1	02162-06127-000 SCREW, VOLTAGE REGULATOR
	1	32102-96462-000 FLYWHEEL COMP, MAGNETO	2	08322-01067-000 WASHER, VOLTAGE REGULATOR
	1	32801-96304-000 RECTIFIER SET		
	1	33800-96305-000 SET, STARTING CABLE & SWITCH		
	1	33815-94501-000 PROTECTOR, STARTER CABLE		
DT40W	1	01550-06167-000 BOLT, CABLE PROTECTOR	1	32500-95722-000 REGULATOR ASSY, VOLTAGE
	1	36740-93901-000 CASE ASSY, FUSE	2	02162-06127-000 SCREW, VOLTAGE REGULATOR
	1	31101-94402-0ED MOTOR SET, STARTING	2	08321-01067-000 WASHER
	1	32102-92L00-000 FLYWHEEL COMP, MAGNETO		
	1	32801-94402-000 RECTIFIER SET		
	1	33800-94433-000 SET, STARTING CABLE & SWITCH		

*1 For aluminium under cover model
*2 For Plastic under cover model

BATTERY CHARGING KIT



ELECTRIC STARTER KIT



BATTERY ISOLATOR LEAD SET

Optional equipment for charging additional battery.

33830-98J11-000

Applicable Model DF150T/Z/175T/Z/
150AP/175AP
200A/P/250AP/
300AP/350AP

FUEL SYSTEM

FUEL TANK

NOTE : These tanks do not meet US-EPA requirements.



65000-99100-000

12-liter plastic tank with no fuel-level gauge

Applicable Model DF4A/5A/6A, DT9.9AK/15AK/25K/40WK (-K:For Gasoline)

65000-95D01-000

25-liter plastic tank with a fuel-level gauge

Applicable Model DF8A-140A, DT9.9AK-40W/WR/WK (-K:For kerosene)

65000-89L10-000

12-liter plastic tank

Applicable Model DF8A-20A

REPLACEMENT FUEL CAP

NOTE : These caps do not meet US-EPA requirements.

65520-99100-000

for 12-liter tank with no fuel-level gauge

Applicable Model DF5A-20A/R, DT9.9AK/15AK/25K/40WK

65520-95D01-000

for 25-liter tank with a fuel-level gauge

Applicable Model DF8A-140A, DT9.9AK-40W/WR/WK

FUEL-HOSE SOCKET



65750-98505-000

Metal, Inner diameter: 11.2 mm

Applicable Model DF4A-20A/R, DT9.9AK-40W/WR/WK



65750-87J11-000

Plastic, Inner diameter: 6.6 mm

Applicable Model DF4A/8A-30A



65750-95500-000

Metal, Inner diameter: 13.0 mm

Applicable Model DF8A/R-140A, DT9.9AK-40W/WR/WK

FUEL CONNECTOR (ENGINE SIDE)



65720-986B0-000

Plastic,

Applicable Model DF4A

FUEL CONNECTOR (TANK SIDE)



65740-95D01-000

Outer diameter: 13 mm, 1/4"NPT

Applicable Model DF8A/R-140A, DT9.9K-40W/WR/WK

SQUEEZE PUMP



65770-99J02-000

Small-in & Large-out

Applicable Model DF4A-6A, DT9.9AK/15AK/25K/40WK

65770-90J12-000

Large-in & Large-out

Applicable Model DF8A-140A, DT9.9AK/15AK/25K/40WK

65770-93J12-000

Large-in & Large-out

Applicable Model DF150-300AP

65770-90L02-000

Large-in & Small-out

Applicable Model DT9.9A/15A/30/40W

SQUEEZE PUMP

(Meets US-EPA requirements.)

65770-94J03-000

Small-in & Large-out

Applicable Model DF4A/6A

65770-90J03-000

Large-in & Large-out

Applicable Model DF8A-25A/30A

65770-93J03-000

Large-in & Large-out

Applicable Model DF150-300AP

FUEL-HOSE

09352-73123-00D

I/D 7.3 , O/D 12.5

LENGTH 4,000mm

Not US-EPA compatible

FUEL-HOSE COMPONENT



65700-94JD2-000

for 12-liter plastic tank to engine

Applicable Model DF4A-6A

65700-93J03-000

for fuel tank to engine

Applicable Model DF150-300AP

65700-87J16-000

for 25-liter plastic tank to engine

Applicable Model DF8A-20A

65700-90J21-000

for 25-liter plastic tank to engine

Applicable Model DF40A-140A

65700-95D05-000

for 12-liter plastic tank to engine (gasoline)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-96362-000

for 25-liter plastic tank to engine (kerosene)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-94417-000

with fuel filter (gasoline)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-94433-000

with fuel filter (kerosene)

Applicable Model DT9.9AK/15AK

Only for P36 ver.

FUEL-HOSE COMPONENT

(Meets US-EPA requirements.)

65700-91J26-000


Applicable Model DF4A/6A

65700-87J26-000

Applicable Model DF8A-30A

65700-88L04-000

Applicable Model DF40A-60A



FUEL-HOSE COMPONENT Chart



1 FUEL HOSE COMPONENT	2 SOCKET			- HOSE			3 SQUEEZE PUMP	- HOSE			4 SOCKET					
	Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)		I/D (mm)	O/D (mm)	D Length (mm)	I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part Number	
65700-94JD2-000	1970	Plastic	6.6	65750-87J11-000	700	Large	7.3	12.5	65770-99J02-000	1100	Small	5.3	10.5	Metal	11.2	65750-98505-000
65700-93J03-000	2370	(no socket)	-	-	(no hose)	-	-	-	65770-93J12-000	2250	Large	9.0	14.0	(no socket)	-	-
65700-87J16-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J12-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-90J15-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J12-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-95D05-000	2550	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-99J02-000	2090		5.3	10.5	Metal	11.2	65750-98505-000
65700-96362-000	2620	Metal	11.2	65750-98505-000	300		5.3	10.5	-	2250		7.3	12.5	Metal	13.0	65750-95500-000
65700-94417-000	3100	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-90J12-000	2600		7.3	12.5	-	-	-
65700-94433-000	3100	Plastic	13.8	65750-94404-000	3000		7.3	12.5	-	-		-	-	-	-	-
65700-91J26-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-94J03-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-87J26-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J03-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-88L04-000	1280	(no socket)	-	-	(no hose)	-	-	-	65770-90J03-000	1100		7.3	12.5	Metal	13.0	65750-95500-000

WATER SEPARATOR / FUEL FILTER



65900-98J00-000

Applicable Model DF5A/DF8A-300AP, DT9.9A-40W/WR/WK

ELEMENT SET



65910-98J00-000

Applicable Model DF5A/DF8A-300AP, DT9.9A-40W/WR/WK

PROPELLER

What is PROPELLER

Propeller selection is very important in the performance of your boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller selected. Operating requirements and conditions will also affect which design, style and pitch of propeller you may choose to meet your individual needs. The combination of boat, engine and appropriate propeller size may have already been tested by the boat manufacturer. **Your Customer may need your assist with the process to determine the correct propeller for their application.**

Stainless Steel Propellers

Suzuki Stainless Steel Propellers offer higher performance and greater durability than aluminum propellers. The aggressive design of these propellers enhances the overall performance of your boat and the durability of the stainless steel construction will give you long term dependability. Your Suzuki Stainless Steel propeller is also fitted with a rubber cushion hub to help absorb vibration and shock should you strike a foreign object.



Propeller Sizing

When referring to propeller size, such as 3 x 13 x 18, the first number is the number of blade, the second number details the diameter of the propeller and the third number is the pitch of the propeller.

The pitch is the most significant number in the description. The diameter is usually predetermined by the propeller engineers and is based on the size and series of the engine.

Diameter

Diameter is considered to be the distance across an imaginary circle that is made when a propeller is rotated. Diameter is determined during the engineering process of designing a propeller and is usually based on requirements to meet the needs of engine size, gear case design, horsepower and speed.



Pitch

Pitch is used to describe the theoretical distance that a propeller “cork screws” through the water in inches of forward travel. In theory, an 18” pitch propeller would move ahead 18” with each complete revolution of a propeller. There is always some percentage of inefficiency as water conditions, boat weight and propeller style are introduced into the performance equation. The lower the “slip factor,” the more efficiently the propeller will perform and the faster the speed at a given engine RPM. Lower pitches accelerate faster, but have a lower top end speed. Higher pitches have a slower acceleration, but may attain higher top speeds. An inch of pitch generally is equal to 150-200 engine RPM at wide open throttle (WOT). If pitch is increased by an inch, RPM will decrease by 150-200 RPM at WOT. If pitch is decreased by an inch, RPM will increase by 150-200 RPM at WOT. Always operate your boat/engine combination within the recommended RPM range guidelines as stated in your operator’s manual. Operating outside the recommended range can cause severe damage to your engine and may void the engine warranty.



Propeller Cup

Cup is used to reduce the slip and ventilation of the propeller. This will allow you to operate your engine at a higher transom mounting and allow you to use more trim for bow lift. The cup refers to the area along the trailing edge of the propeller blade that has an increased pitch in the last 1/2” of the blade surface and extends to the blade tip.

Rake

Rake is described as the angle, in degrees, that the propeller blades are mounted to the “barrel” of the propeller. The blades of a zero degree rake propeller are mounted perpendicular to the “barrel” of the propeller. The blades of a higher rake propeller angle more to the rear of the propeller. A propeller with a high rake design will hold the water on the blades longer during operation and will ventilate less at higher engine heights. High rake propellers will produce higher thrust that will help lift the bow of the boat more effectively.

HARDWARE FOR PROPELLER

Applicable Model	STOPPER	PROPELLER BUSH		HARDWARE KIT				
				SPACER	WASHER	NUT	COTTER PIN	
DF2.5	57635-91JL0-000	58120-97JA0-000	Press-IN	N/A	-	-	58130-91JL0-000	09204-03003-000
DF4A/5A/6A	57635-97L00-000	58120-91JL0-000	Press-IN	N/A	-	-	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-94J00-000	58120-89L00-000	Press-IN	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9B/15A/20A	57632-94J00-000	58120-89L00-000	Press-IN	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DT9.9A/15A	57632-94J00-000	58120-89L00-000	Press-IN	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DF25A/30A	57632-91L00-000	58120-96401-000	Press-IN	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT25/30	57632-91L00-000	58120-96401-000	Press-IN	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	58120-88L01-000	Press-IN	57630-94301-000	57633-94301-000	09160-18028-000	09141-18005-000	09204-03003-000
DT40	57632-92L00-000	58120-88L01-000	Press-IN	57630-92L01-000	57633-92L00-000	09160-16054-000	09141-16008-000	09204-03003-000
DF50A/60AV	57635-90J01-000	58105-90J00-000	Press-IN	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF70A/80A/90A	57632-87L01-000	58105-90J00-000	Press-IN	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF100A/115A/140A	57635-92J01-000	58105-90J00-000	Press-IN	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF150-300AP	57632-93L01-000	58105-93J10-000	Press-IN	57630-92E00-000	57633-87D30-000	09160-18028-000	09141-18005-000	09204-03003-000

*1 58105-90J00 is for **58100-87Lxx**, **58100-90Jxx**, **58200-92J4x-92J9x** and **58200-92JAx-92JDx**.
 *2 58120-90J00 is for **58200-90J0x-90J3x** and **58200-92J0x-92J3x**. *3 58105-93J00 is for **58200-96Jxx**.
 *4 58105-93J10 is for **58200-93Jxx**, **58200-93Lxx** and **58300-93Jxx**.
 These bold letters indicate a proper part number in P34 & 35. Please refer to next pages.

Model	Type	Material	Blade	Diameter	Pitch	Rotation*	Description	Part number
DF2.5	A520	Aluminum	3	7 3/8	5 3/8	RR		58110-97JA0-019
DF4A	C601	Aluminum	3	7 1/2	6	RR		58110-91JL0-019
DF5A	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91JM0-019
DF6A	C701	Aluminum	3	7 1/2	7	RR		58110-91JN0-019
DF8A	M701	Aluminum	3	9 1/4	7	RR		58100-89L00-019
DF9.9A	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-90L40-019
	M901	Aluminum	3	9 1/4	9	RR		58100-89L20-019
	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-90L50-019
	M1001	Aluminum	3	9 1/4	10	RR		58100-89L60-019
	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-90L21-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-89L70-019
DF9.9B		Aluminum	4	10	5	RR	High thrust	58100-94JA1-019
DF15A		Aluminum	4	10	7	RR	High thrust	58100-94JB0-019
DF20A		Aluminum	3	9 1/4	7	RR		58100-89L00-019
		Aluminum	3	9 1/4	8	RR	THICK	58100-90L40-019
DT9.9A		Aluminum	3	9 1/4	9	RR		58100-89L20-019
DT15A		Aluminum	3	9 1/4	9	RR	THICK	58100-90L50-019
		Aluminum	3	9 1/4	10	RR		58100-89L60-019
		Aluminum	3	9 1/4	10	RR	THICK	58100-90L60-019
		Aluminum	3	9 1/4	11	RR		58100-89L70-019
		Aluminum	3	9 1/4	12	RR		58100-89L50-019
DF25A	P911	Aluminum	3	10 1/4	9	RR	THICK	58100-96372-019
DF30A	P1001	Aluminum	3	10 1/4	10	RR		58100-91L40-019
DT25	P1011	Aluminum	3	10 1/4	10	RR	THICK	58100-96472-019
DT30	P1101	Aluminum	3	10 1/4	11	RR		58100-91L50-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-91L20-019
	P1211	Aluminum	3	10 1/4	12	RR	THICK	58100-96482-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-91L30-019
	P1311	Aluminum	3	10 1/4	13	RR	THICK	58100-96492-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D01-019
	P1501	Aluminum	3	10 1/4	15	RR		58100-96462-019
DF40A	S900	Aluminum	3	11 1/2	9	RR		58100-88L03-019
DF50A	S1000	Aluminum	3	11 1/2	10	RR		58100-88L13-019
DF60A	S1100	Aluminum	3	11 1/2	11	RR		58100-88L23-019
DF40	S1200	Aluminum	3	11 5/8	12	RR		58100-88LA0-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88LB0-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L52-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L62-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L72-019
	S1700	Aluminum	3	11	17	RR		58100-88L83-019
	SS1600	Stainless	3	11 1/8	16	RR		58200-88L30-000
DF50AV		Aluminum	3	14	9	RR		58100-87LG1-019
DF60AV		Aluminum	3	14	11	RR		58100-87LH0-019
		Aluminum	3	13 3/4	12	RR		58100-87LJ0-019
		Aluminum	3	14	13	RR		58100-87LA0-019
		Aluminum	3	13 7/8	15	RR		58100-87LB0-019
		Aluminum	3	13 3/4	17	RR		58100-87LC0-019
DF70A		Aluminum	3	14	13	RR		58100-87LA0-019
DF80A		Aluminum	3	13 7/8	15	RR		58100-87LB0-019
DF90A		Aluminum	3	13 3/4	17	RR		58100-87LC0-019
DF100B		Aluminum	3	13 3/4	19	RR		58100-87LD0-019
		Aluminum	3	13 3/4	21	RR		58100-87LE0-019
		Aluminum	3	13 3/4	23	RR		58100-87LF0-019
		Aluminum	3	13 1/2	15	RR		58100-90JE0-019
		Aluminum	3	14	17	RR		58100-90JA0-019
		Aluminum	3	14	19	RR		58100-90JB0-019
		Aluminum	3	14	21	RR		58100-90JC0-019
		Aluminum	3	14	23	RR		58100-90JD0-019
		Stainless	3	13 7/8	15	RR		58200-92J40-000
		Stainless	3	13 7/8	17	RR		58200-92J50-000
		Stainless	3	13 7/8	19	RR		58200-92J60-000
		Stainless	3	13 7/8	21	RR		58200-92J70-000
		Stainless	3	13 7/8	23	RR		58200-92J80-000
		Stainless	3	13 7/8	25	RR		58200-92J90-000

*RR:Regular-Rotation model, CR:Counter-Rotation model

Model	Type	Material	Blade	Diameter	Pitch	Rotation*	Description	Part number
DF100A		Aluminum	3	13 1/2	15	RR		58100-90JE0-019
DF115A		Aluminum	3	14	17	RR		58100-90JA0-019
DF140A		Aluminum	3	14	19	RR		58100-90JB0-019
		Aluminum	3	14	21	RR		58100-90JC0-019
		Aluminum	3	14	23	RR		58100-90JD0-019
		Stainless	3	13 7/8	15	RR		58200-92J40-000
		Stainless	3	13 7/8	17	RR		58200-92J50-000
		Stainless	3	13 7/8	19	RR		58200-92J60-000
		Stainless	3	13 7/8	21	RR		58200-92J70-000
		Stainless	3	13 7/8	23	RR		58200-92J80-000
		Stainless	3	13 7/8	25	RR		58200-92J90-000
		Stainless	3	13 7/8	17	CR		58200-92JA0-000
		Stainless	3	13 7/8	19	CR		58200-92JB0-000
		Stainless	3	13 7/8	21	CR		58200-92JC0-000
		Stainless	3	13 7/8	23	CR		58200-92JD0-000
DF150		Stainless	3	16	15	RR		58200-93L80-000
DF150AP		Stainless	3	16	17	RR		58200-93L00-000
DF175		Stainless	3	16	18 1/2	RR		58200-93L10-000
DF175AP		Stainless	3	16	20	RR		58200-93L20-000
DF200		Stainless	3	16	21 1/2	RR		58200-93L30-000
DF200A		Stainless	3	16	23	RR		58200-93L40-000
DF200AP		Stainless	3	16	24 1/2	RR		58200-93L50-000
DF225		Stainless	3	16	26	RR		58200-93L60-000
DF250		Stainless	3	16	27 1/2	RR		58200-93L70-000
DF250AP		Stainless	3	16	17	CR		58200-93LE0-000
DF300AP		Stainless	3	16	18 1/2	CR		58200-93LA0-000
		Stainless	3	16	20	CR		58200-93LB0-000
		Stainless	3	16	21 1/2	CR		58200-93LC0-000
		Stainless	3	16	23	CR		58200-93LD0-000
		Stainless	3	16	24 1/2	CR		58200-93LF0-000
		Stainless	3	16	26	CR		58200-93LG0-000
		Stainless	3	15 1/2	17	RR		58200-96J00-000
		Stainless	3	15 1/4	19	RR		58200-96J10-000
		Stainless	3	15	21	RR		58200-96J20-000
		Stainless	3	14 3/4	23	RR		58200-96J30-000
		Stainless	3	14 1/2	25	RR		58200-96J40-000
		Stainless	3	14 1/2	27	RR		58200-96J50-000
		Stainless	3	15 1/2	17	CR		58200-96JA0-000
		Stainless	3	15 1/4	19	CR		58200-96JB0-000
		Stainless	3	15	21	CR		58200-96JC0-000
		Stainless	3	14 3/4	23	CR		58200-96JD0-000
		Stainless	3	14 1/2	25	CR		58200-96JE0-000
		Stainless	3	14 1/2	27	CR		58200-96JF0-000
		Stainless	4	15 1/4	18	RR		58300-93J00-000
		Stainless	4	15 1/4	20	RR		58300-93J10-000
		Stainless	4	15 1/4	22	RR		58300-93J20-000
		Stainless	4	15 1/4	24	RR		58300-93J30-000
		Stainless	4	15 1/4	26	RR		58300-93J40-000
		Stainless	4	15 1/4	20	CR		58300-93JA0-000
		Stainless	4	15 1/4	22	CR		58300-93JB0-000
		Stainless	4	15 1/4	24	CR		58300-93JC0-000
		Stainless	4	15 1/4	26	CR		58300-93JD0-000



SUZUKI APPROVED GENUINE OIL

- Specialty designed oil for SUZUKI 2&4 stroke outboard motor.
- High quality 2stroke motor oil provide proper viscosity to be stability when temperature change and keep excellent oxidation.
- This 4 stroke outboard oil is formulated with special additives and high quality base oil.
- Outstanding performance for wear protection, viscosity stability, low volatility and excellent rust protection and corrosion.

* Availability may differ in some regions.
Please contact Thai Suzuki Motor Co, Ltd. for more information and making an order.



2-STROKE ENGINE OIL "PREMIUM"
Mineral, 1 liter



4-STROKE ENGINE OIL "PREMIUM"
SAE 10W-40, Mineral, SG, Equivalent to FC-W
1 liter and 5 liter Bottles are available

SUZUKI APPROVED GENUINE OIL by MOTUL

These products are supplied directly by MOTUL.
Please note that these oils are not available in some countries.
Please contact with local distributor of MOTUL.

Suzuki and MOTUL have been in partnership in MotoGP since 1988.
Extending this trusted relationship led to the development of new Suzuki Marine Oils.
These ranges of oils have excellent oxidation stability and provide outstanding rust protection under severe operating conditions.

API Classification	SAE Viscosity Grade	
	C	F
SG	-20	-4
SH	-10	14
SL	0	32
SJ	10	50
SM	20	68
	30	86
	40	104



4-STROKE ENGINE OIL
SAE 10W-30 Semi-Synthetic
5 liter, FC-W



4-STROKE ENGINE OIL
SAE 10W-40 Semi-Synthetic
5 liter, FC-W



2-STROKE ENGINE OIL (TC-W3)
High Performance 2T Engine Oil
1 liter, TC-W3



4-STROKE ENGINE OIL (10W-40)
SAE 10W-40 Mineral
1 liter



GEAR OIL
SAE 90, API GL-5
0.35 liter

* 4 kinds (1L, 5L, 60L, 208L) of Engine oil volume and 3 kinds (0.35L, 1L, 60L) of Gear oil are available. Please ask your local MOTUL dealer.

ENGINE COVER



68110-89L00-000
Applicable Model DF8A-20A, DT9.9A-15A

68110-88L00-000
Applicable Model DF25/40A-60A, DT25/30

68110-87L00-000
Applicable Model DF70A-140A, DT40

68110-96J00-000
Applicable Model DF150T/Z-250T/Z

68110-98J00-000
Applicable Model DF250AP/300AP

FLUSHING TOOL FOR DF350A

99000-81200-000
FLUSHING TOOL
Applicable Model DF350A

FLUSH-HOSE ATTACHMENT



55181-95200-000
Applicable Model DF4A-6A/40A-60A,DT40W



17917-87L00-000
Applicable Model DF8A-300A

2-CYCLE MOTOR OIL



99000-21740-006
CCI OIL Metal can with a cap & nozzle

GEAR OIL



99000-22B48-000
HYPOID GEAR OIL SAE90 API GL-5
400ml
99000-22B55-000
800ml

GREASE



99000-25011-000
SUPER GREASE-A
450 grams (15.8 oz) for Crank oil seal



99000-25350-000
WATER RESISTANT GREASE EP2
450 grams (8.8 oz)



99000-25140-000
MOLY PASTE
50 grams (1.7 oz)



99000-22810-000
Metal can with a cap
1 liter

LIQUID GASKET



93691-80030-000
SILICONE SEAL KE45T
100 grams



99000-31140-000
1207B (BLACK)
100 grams (3.4 oz)

THREAD LOCK



99000-32020-000
1333B (RED)
50 grams (1.7 oz)



99000-32160-000
1342 (BLUE)
50 grams (1.7 oz)

SUZUKI MAINTENANCE KITS

SUZUKI highly recommends you to replace your outboard motor with Maintenance Kits every 100 hours or 1 year, whichever comes first.



ALL LINEUP For 2 STROKE OBM

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DT9.9/15 ('12)	17400-90830	17400-93912-000	CHROMED WATER PUMP REPAIR SET	1
		09168-10022-000	GASKET,10X17X1.5	2
		55321-90100-000	ZINC PROTECTION	3
		09204-02004-000	COTTER PIN	1
		09482-00533-000	SPARK PLUG, BR7HS-10	2
		17685-91000-000	GASKET,THERMOSTAT COVER	1
DT9.9/15 (A) ('13-)	17400-90830	17400-90101-000	WATER PUMP REPAIR SET	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	1
		55321-90100-000	ZINC PROTECTION	2
		09204-02004-000	COTTER PIN	1
		17400-93912-000	CHROMED WATER PUMP REPAIR SET	1
DT9.9K/15K ('12)	17400-90860	09168-10022-000	GASKET,10X17X1.5	2
		55321-90100-000	ZINC PROTECTION	3
		09204-02004-000	COTTER PIN	1
		09482-00534-000	SPARK PLUG,B6HS	2
		17685-91000-000	GASKET,THERMOSTAT COVER	1
		17400-90101-000	WATER PUMP REPAIR SET	1
DT9.9K/15K (A) ('13-)	17400-90840	59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	1
		55321-90100-000	ZINC PROTECTION	2
		09204-02004-000	COTTER PIN	1
		09482-00534-000	SPARK PLUG, BR6HS-10	2
		17685-91000-000	GASKET,THERMOSTAT COVER	1
DT25K ('12)	17400-91840	17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00532-000	SPARK PLUG,B7HS	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55320-95311-000	ZINC SET, PROTECTION	1
DT25K ('13-14)	17400-91810	17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00532-000	SPARK PLUG (NGK, B7HS-10)	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		17400-94110-000	KIT,WATER PUMP REPAIR	1
DT25K ('15-)	17400-91870	59178-97100-000	GASKET, DRAIN PLUG	2
		09482-00532-000	SPARK PLUG (B7HS-10)	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55321-87100-000	ANODE,PROTECTION	1
		17400-94412-000	KIT,WATER PUMP REPAIR	1
DT30 ('12)	17400-91850	17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00533-000	SPARK PLUG, BR7HS-10	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55320-95311-000	ZINC SET, PROTECTION	1
DT30 ('13-14)	17400-91820	17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00533-000	SPARK PLUG (NGK, BR7HS-10)	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		17400-94110-000	KIT,WATER PUMP REPAIR	1
DT30 ('15-)	17400-91880	59178-97100-000	GASKET, DRAIN PLUG	2
		09482-00533-000	SPARK PLUG (BR7HS-10)	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55321-87100-000	ANODE PROTECTION	1
		17400-94412-000	KIT,WATER PUMP REPAIR	1
DT40W/40WR ('07LATE-'12)	17400-92830	09168-10022-000	GASKET,10X17X1.5	2
		09482-00370-000	PLUG,SPARK,BR8HS	2
		17685-94410-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55320-95311-000	ZINC SET, PROTECTION	1
		17685-94410-000	GASKET,THERMOSTAT COVER	1
DT40W/40WR ('13-)	17400-92810	09168-10022-000	GASKET,10X17X1.5	2
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09482-00370-000	PLUG,SPARK,BR8HS	2
		17400-94412-000	KIT,WATER PUMP REPAIR	1

ALL LINEUP For 4 STROKE OBM

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF2/2.5 ('06-'11)	17400-97820	17461-971M0-000	IMPELLER,WATER PUMP	1
		09482-00406-000	SPARK PLUG, CR6HSA	1
		09204-02001-000	COTTER PIN	1
		09168-10022-000	GASKET,10X17X1.5	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	1
		09280-33005-000	O RING	1
		09202-02006-000	PIN(2.9X14)	1
		17471-97100-000	PANEL, PUMP CASE UNDER	1
		17472-97100-000	GASKET, PUMP CASE PANEL	1
		17461-971M0-000	IMPELLER,WATER PUMP	1
		09482-00406-000	SPARK PLUG, CR6HSA	1
DF2/2.5 ('12-)	17400-97810	09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	1
		09280-33005-000	O RING	1
		09202-02006	PIN	1
		17471-97100	UNDER PANEL	1
		17472-97100	GASKET	1
		17400-98610-000	KIT,WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09482-00299-000	SPARK PLUG, BPR6ES	1
		DF4/5/6 ('02-'10)	17400-91860	09168-10022-000
55321-87100-000	ANODE,PROTECTION			2
17412-91100-000	PANEL, WATER PUMP CASE UPR			1
17413-91100-000	SLEEVE, WATER PUMP CASE			1
15410-98500-000	FUEL,FILTER			1
17400-98610-000	KIT,WATER PUMP REPAIR			1
09204-03003-000	COTTER PIN,D:3.6,L:25			1
09482-00L04-000	SPARK PLUG, CPR6EA-9			1
09168-10022-000	GASKET,10X17X1.5			3
55321-87100-000	ANODE,PROTECTION			2
17412-91100-000	PANEL, WATER PUMP CASE UPR			1
17413-91100-000	SLEEVE			1
DF4/5/6 ('11-'16)	17400-91830	09168-10022-000	GASKET,10X17X1.5	3
		55321-87100-000	ANODE,PROTECTION	2
		17412-91100	PANEL	1
		17413-91100	SLEEVE	1
		15410-98500	FUEL,FILTER	1
		09168-12017-000	GASKET(12X17X1)	1
		09204-03003-000	PIN	1
		09280-39001-000	O RING(D:2,ID:38.5)	1
		09420-03002-000	KEY	1
		09482-00L04-000	PLUG,SPARK(CPR6EA-9)	1
		16510-16H11-000	FILTER,ENGINE OIL	1
		17412-9110-000	PANEL,WATER PUMP CASE UPR	1
DF4A/5A/6A P01 DF4A/6A P03 ('17-)	17400-91890	17413-9110-000	SLEEVE,WATER PUMP CASE	1
		17461-985M0-000	IMPELLER,WATER PUMP	1
		17471-98610-000	PANEL,PUMP CASE UNDER	1
		17472-91100-000	GASKET,PUMP CASE PANEL	1
		44330-13H00-000	FILTER,FUEL	1
		55321-87101-000	ANODE,PROTECTION	1
		55321-95100-000	ANODE,PROTECTION	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		15410-98500-000	FILTER,FUEL	1
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		09204-02004-000	COTTER PIN	1
		09280-13004	O RING(D:2.4,ID:52.6)	1
DF8A/9A ('10-)	17400-99840	09168-12017-000	GASKET,12X17X1	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	2
		09280-22019-000	O RING,D:1.9,ID:21.8	1
		09482-00528-000	SPARK PLUG, CR6E	2
		17400-99101-000	KIT, WATER PUMP REPAIR	1
		17413-94100	SLEEVE	1
		17400-94100-000	KIT, WATER PUMP REPAIR	1
		09204-02004-000	COTTER PIN	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	2
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		09280-10013-000	O RING(D:2.4,ID:9.6)	1
DF9.9/15 ('11-'13)	17400-94810	55321-99E00-000	ANODE,PROTECTION	1
		55321-90L00-000	ZINC,PROTECTION	1
		09168-12017-000	GASKET,12X17X1	1
		09168-10022-000	GASKET,10X17X1.5	2
		17413-94100-000	SLEEVE, WATER PUMP CASE	1
		15410-98500-000	FUEL,FILTER	1
		17400-99101-000	KIT, WATER PUMP REPAIR	1
		09204-02004-000	COTTER PIN	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	2
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		09280-13004-000	O RING(D:1.9,ID:13)	1
		09280-54001-000	O RING(D:2.4,ID:52.6)	1
DF9.9B/15A/20A ('13-)	17400-89810	55321-87100-000	ANODE,PROTECTION	2
		09280-22019-000	O RING,D:1.9,ID:21.8	1
		09168-12017-000	GASKET,12X17X1	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		17413-94100	SLEEVE, WATER PUMP CASE	1
		15410-87100	FUEL,FILTER	1

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF20/25 V2 ('06-)	17400-95870	17400-95J02-000	KIT,WATER PUMP REPAIR	1
		16510-87100-000	FILTER ASSY,OIL	1
		09482-00427-000	SPARK PLUG, BKRGE	2
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
		09168-12012-000	GASKET,12.5X20X2.5	1
		55321-95100-000	ANODE,PROTECTION	2
		55321-87100-000	ANODE,PROTECTION	5
		09280-10013-000	O RING D:2.4ID:9.6	2
		09280-22019-000	O RING D:1.9ID:21.8	1
		17413-95100	SLEEVE	1
		15410-87100	FUEL,FILTER	1
DF25/30 ('01-'10)	17400-89820	17400-96353-000	KIT,WATER PUMP REPAIR	1
		16510-87100-000	FILTER ASSY,OIL	1
		09482-00446-000	SPARK PLUG, DCPR6E	3
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
		09168-12012-000	GASKET,12.5X20X2.5	1
		55321-87100-000	ANODE,PROTECTION	1
		11265-87E10-000	GASKET, PROTECTION COVER	1
		15410-87100-000	FUEL,FILTER	1
		17400-94100-000	KIT, WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		DF25A/30A ('15-)	17400-94820	17400-94100-000
09204-03003-000	COTTER PIN,D:3.6,L:25			1
09482-00L04-000	SPARK PLUG (CPR6EA-9)			3
16510-87100-000	FILTER ASSY, OIL			1
09168-10022-000	ANODE,PROTECTION			5
09280-22019-000	O RING (D:1.9,ID:21.8)			1
09168-12017-000	GASKET (12X17X1)			1
59178-97100-000	GASKET,DRAIN PLUG			2
17413-94100-000	SLEEVE, WATER PUMP CASE			1
15410-87100-000	FUEL,FILTER			1
17400-96353-000	KIT,WATER PUMP REPAIR			1
DF40/50 ('06LATE-'10)	17400-87820			17400-96353-000
		16510-87100-000	FILTER ASSY,OIL	1
		09482-00446-000	SPARK PLUG, DCPR6E	3
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
		09168-12012-000	GASKET,12.5X20X2.5	1
		55321-87100-000	ANODE,PROTECTION	2
		09280-22019-000	O RING,D:1.9,ID:21.8	2
		15410-87100-000	FILTER,FUEL	1
		17400-88100-000	KIT,WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		DF40A/50A/60A ('10-)	17400-88810	16510-87100-000
09482-00446-000	SPARK PLUG, DCPR6E			3
09168-12012-000	GASKET,12.5X20X2.5			1
09168-10022-000	GASKET,10X17X1.5			2
55321-87100-000	ANODE,PROTECTION			3
09280-22019-000	O RING,D:1.9,ID:21.8			2
15410-88100-000	FILTER COMP,FUEL			1
17400-99E10-000	KIT,WATER PUMP REPAIR			1
09204-03003-000	COTTER PIN,D:3.6,L:25			1
16510-87100-000	FILTER ASSY,OIL			1
09482-00446-000	SPARK PLUG, DCPR6E			3
DF50A/50AV ('14-)	17400-88820			16510-87100-000
		09482-00446-000	SPARK PLUG, DCPR6E	3
		09168-12012-000	GASKET,12.5X20X2.5	1
		09168-10022-000	GASKET,10X17X1.5	2
		55321-87100-000	ANODE,PROTECTION	3
		09280-22019-000	O RING,D:1.9,ID:21.8	2
		1541		

ZINC ANODE for saltwater



55300-95500-000

Applicable Model DF8A/9.9A/40A-60A,
DT25K-40W



55320-95311-000

Applicable Model DF40A-60A/150-300AP



55125-96310-000

Applicable Model DF25/R/Q



55321-90J01-000

Applicable Model DF50AV/60AV/100A-140A

ALUMINUM ANODE for brackish water, saltwater



55321-87J01-000

Applicable Model DF2.5-300AP,
DT9.9AK/15AK



55320-94900-000

Applicable Model DF60A-300AP



55321-95J00-000

Applicable Model DF2.5,DF4A-6A

55321-93J01-000

Applicable Model DF150-300A

MAGNESIUM ANODE for freshwater



55321-87J11-000

Applicable Model DF4A-300AP,DT9.9A/15A



55321-94910-000

Applicable Model DF70A-300AP

Recommended STEERING SYSTEM supplied by



www.seastarsolutions.com

Order taking, delivery, technical support and warranty for these products are handled by SeaStar Solutions. Please consult to local SeaStar Solutions distributor or dealer if you need more detail for product information, price, availability and all business terms.

STEERING KIT

BAYSTAR



BAYSTAR OUTBOARD SYSTEM - HK4200A-3

System comprises:	
BayStar Helm 1.4cu" (22.94cc)	HH4314-3
BayStar Compact Cylinder	HC4645H*
20ft "cut to length" tubing kit	HT4420H
2 x litre SeaStar hydraulic oil	HA5430

*Note: 115-140hp four stroke 2001 to current model require HC4658H.

BAYSTAR PLUS



BAYSTAR PLUS OUTBOARD SYSTEM - HK4500A-3

System comprises:	
BayStar Plus Helm 1.4cu" (22.94cc)	HH4514-3
BayStar Compact Cylinder	HC4645H*
2 x litre SeaStar hydraulic oil	HA5430

*Note: 1 x SeaStar hose kits must be ordered separately

SEASTAR



SEASTAR OUTBOARD SYSTEM - HK6400-3

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271-3
SeaStar Pivot Cylinder	HC5345-3*
2 x litre SeaStar hydraulic oil	HA5430

*Note: 1 x SeaStar hose kits must be ordered separately

SEASTAR TOURNAMENT SERIES

Extreme heavy duty cylinders and tie bars designed for primarily high performance multiple engine applications. Also available for single engine applications. This heavy duty universal cylinder features reversible bolt on stainless steel tie bar plates that are suitable for use with all SeaStar Helms and SeaStar Power Assist.



SEASTAR TOURNAMENT CYLINDER

Part No.	Description
HC6845	Outboard Tournament Series Cylinder, Front Mount
HC6845S	Outboard Tournament Series Cylinder, Front Mount, c/w Single Engine Hardware Kit

OPTIMUS EPS

A Higher Level Of Engineering Sophistication
The Optimus EPS system replaces the traditional hydraulic steering system. For single, twin, triple and quad engine applications.




Advantages of Optimus EPS

- No oil at helm
- Boat that steers like a sports car
- Plug and play autopilot compatibility
- No auto pilot pump or rudder feedback unit
- Auto adjusting speed sensitive wheel effort
- Auto adjusting speed sensitive turns lock to lock
- Can be retrofitted to existing mechanical and electronic controlled engines. You do not have to buy new engines
- No tie-bars (twin configuration)
- No liquid tie-bar (CAT)
- On demand pumps which extend battery life
- Components based on existing SeaStar reliability and quality
- NMEA 2000 Certified

OPTIMUS 360

The patented Optimus 360 system builds on the Optimus EPS. Optimus 360 steering/shift/throttle control system is engineered for powerboats with electronic shift and throttle engines, allowing you to use the existing electronic controls. Optimus 360 connects to the existing control head with closed loop processing, providing a very seamless integration.



Optimus EPS + Joystick = Optimus 360 Joystick Control

Advantages of Optimus 360

- Intuitive high precision Joystick docking with confidence
- Seamless integration with electronic controlled engines
- Autopilot ready - just a simple connection
- Dual station compatible
- Tiebar engines (triple) – less components, simple installation, less cost
- Available as a retrofit or for new engine installation
- All the benefits of Optimus EPS, including auto adjusting steering effort and steering turns lock to lock
- Supports Twin and Triple Suzuki Precision Control Engines

SEASTAR PA



SEASTAR POWER ASSIST OUTBOARD SYSTEM

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271-3
SeaStar Pivot Cylinder	HC5345-3*
2 x litre SeaStar hydraulic oil	HA5430
SeaStar 12v Power Assist Unit	PA1200-2

*Note: 2 x SeaStar hose kits must be ordered separately

*For further application information please refer to www.seastarsolutions.com

		75 HP	115 HP	150 HP	200 HP	250 HP	300 HP	350 HP+
BAYSTAR	OPTIMUM							
	MAXIMUM							
BAYSTAR PLUS	OPTIMUM							
	MAXIMUM							
SEASTAR OUTBOARD SYSTEM	OPTIMUM							
	MAXIMUM							
SEASTAR TOURNAMENT	OPTIMUM							
	MAXIMUM							
SEASTAR POWER ASSIST OUTBOARD SYSTEM	OPTIMUM							
	MAXIMUM							


As specialists in the art of steering, SeaStar Solutions take the recommendation of steering systems very seriously especially as modern outboard engines become more powerful. Unlike other steering manufacturers we prefer to make systems recommendations based on "optimum comfort"

TIE-BAR KIT

Features

General purpose system. Single and multiple engine capability. Total power up to 700 HP *counter-rotating.

Independent engine tilt for twin engine Easy steering. 5 turns lock to lock steering response.



Applications

Twin Engine Application for Suzuki Outboard Motors

Triple Engine Configuration for Suzuki Outboard Motors


MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		TWIN ENGINE SINGLE CYL.	TWIN ENGINE DUAL CYL.	
DF40A/50A/60A	HC5358-3	HO6003	HO6002	Requires kit HO5090
DF70A/80A/90A	HC5358-3	HO6003	HO6002	Requires kit HO5090
DF100	HC5358-3	HO6003	HO6002	Requires kit HO5090
DF115/140	HC5358-3	HO6003	HO6002	Requires kit HO5090
DF150/175	HC5345-3	HO6003	HO6002	
DF200/225/250	HC5345-3	HO6003	HO6002	
DF300	HC5345-3	HO6003	HO6002	

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		PORT ENGINE TO DRIVE CYL.	STARBOARD ENGINE TO DRIVE CYL.	
DF150/175	HC5345-3	HO6003	HO6002	See notice
DF200/225/250	HC5345-3	HO6003	HO6002	See notice
DF300	HC5345-3	HO6003	HO6002	See notice



Way of Life!

2018 GENUINE RIGGING-PARTS AND ACCESSORIES



Suzuki's "Way of Life!" is the heart of our brand - every Suzuki vehicle, motorcycle and outboard motor is built to create excitement so customers can enjoy everyday life.



Please read your Owner's Manual carefully. Remember, boating and alcohol or other drugs don't mix. Always wear a personal flotation device when boating. Please operate your outboard safely and responsibly.

Suzuki encourages you to operate your boat safely and with respect for the marine environment.

Specifications, appearances, equipment, colors, materials and other items of "SUZUKI" products shown in this catalog are subject to change by manufacturers at any time without notice and they may vary depending on local conditions or requirements. Some models are not available in some territories. Each model might be discontinued without notice. Please enquire at your local dealer for details of any such changes. Actual body color might differ from the colors in this brochure.



SUZUKI MOTOR CORPORATION
300 TAKATSUKA-CHO, MINAMI-KU, HAMAMATSU-SHI, SHIZUOKA 432-8611 JAPAN
www.globalsuzuki.com

2018 OBM P&A CATALOG (INTERNAL)
99000-79N12-368
Printed in Japan 201710

Internal use only