




AT THE FOREFRONT OF OUTBOARD TECHNOLOGY SINCE 1965



D55(1965)



We created our first outboard motor in 1965 and will be celebrating the 50th anniversary of the D55 in 2015. We have come a long way since then and our current range of four stroke outboards is second to none in the market place. Our engineers are passionate about boating and spend all of their time perfecting our fuel-efficient and technologically advanced four stroke outboard motors so that our products enable you to maximize your time on the water. So, from the lightweight and portable DF2.5 to the award winning power of the DF300AP, we've got an outboard to suit your way of life.

SUZUKI MOTOR CORPORATION reserves the right to add any improvement to change the design or to discontinue any item at any time without notice. Some items might not be compatible with local standards or statutory requirements. Please check with your local AUTHORIZED SUZUKI DEALER for details at the time of ordering. Actual colors might differ from those appearing in this catalog.
©2013 SUZUKI MOTOR CORPORATION. All rights reserved.
Printed in Japan. October 2013. Part number: 99000-79N12-135

 **SUZUKI**
SUZUKI MOTOR CORPORATION
300 TAKATSUKA-CHO, MINAMI-KU, HAMAMATSU CITY, JAPAN 432-8611

Your AUTHORIZED SUZUKI DEALER

BEFORE YOU SAIL OUT, CHECK YOUR MOTOR AND FUEL FOLLOWING THE OWNER'S MANUAL, AND WEAR PROPER ATTIRE.



**GENUINE
RIGGING-PARTS
AND
ACCESSORIES**



Way of Life!



GENUINE RIGGING-PARTS AND ACCESSORIES

Dear Customer,
Quality. Dependability. Innovation. Everything that you expect from your outboard motors is delivered with style by SUZUKI. Demand no less from the products that you choose to enhance your total boating pleasure. Demand GENUINE SUZUKI ACCESSORIES. This catalogue represents our commitment to provide you with the finest products available. From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on GENUINE SUZUKI ACCESSORIES for optimum performance. Take a few minutes to browse through this catalogue, and then be sure to visit your AUTHORIZED SUZUKI DEALER for complete ordering information. Thank you.

SUZUKI MOTOR CORPORATION



MODEL NAME AND ENGINE NUMBER

NOTE
Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers.
Please consult your local dealers regarding other models and their rigging-parts and accessories.

model	engine number	model	engine number	model	engine number
DF300AP	30002P-410001~	DF115AT	11503F-410001~	DF9.9B	00995F-410001~
DF250AP	25003P-410001~	DF115AZ	11503Z-410001~	DF9.9A	00994F-410001~
DF250T	25003F-410001~	DF100AT	10003F-410001~	DF8A	00801F-410001~
DF250Z	25003Z-410001~	DF90A	09003F-410001~	DF6	00602F-410001~
DF225T	22503F-410001~	DF80A	08002F-410001~	DF5	00502F-410001~
DF225Z	22503Z-410001~	DF70A	07003F-410001~	DF4	00402F-410001~
DF200T	20002F-410001~	DF60AV	06003F-410001~	DF2.5	00252F-410001~
DF200Z	20002Z-410001~	DF60A	06002F-410001~	DT40W	04005-410001~
DF175T	17502F-410001	DF50AV	05004F-410001~	DT40WK	04005K-410001~
DF175Z	17502Z-410001~	DF50A	05003F-410001~	DT30	03005-410001~
DF150T	15002F-410001~	DF40A	04003F-410001~	DT25K	02503K-410001~
DF150Z	15002Z-410001~	DF25	02503F-410001~	DT15A	01504-410001~
DF140AT	14003F-410001~	DF20A	02002F-410001~	DT15AK	01503K-410001~
DF140AZ	14003Z-410001~	DF15A	01504F-410001~	DT9.9A	00996-410001~
				DT9.9AK	00993K-410001~

TABLE OF CONTENTS

SUZUKI MULTI FUNCTION GAUGE	04
SUZUKI MODULAR INSTRUMENT SYSTEM	12
ANALOG INSTRUMENT	18
SPC ELECTRONIC THROTTLE AND SHIFT SYSTEM	22
CONNECTION BETWEEN ENGINE AND CONTROL SYSTEM	25
MECHANICAL REMOTE CONTROL SYSTEM	26
STEERING	30
ELECTRICAL PARTS	33
ANODE	34
FUEL SYSTEM	35
PROPELLER	38
CARE ITEM	40
MAINTENANCE ITEM	40
APPLICATION CHART	42

REFERENCE	
Part Number	15-digit alpha-numerical number shows Part Number to be used for ordering.
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilometers Per Hour
mph	Miles Per Hour
knots	Knots

SUZUKI
MULTI FUNCTION GAUGE



34200-87L12-000 001
Applicable Model DF9.9B/15A/20A/40A-300AP

THE SUZUKI MULTI FUNCTION GAUGE (SMFG) gives you various information in real time.

Main features include;

- ①displays 22 kinds of valuable information for boat operation and engine condition.
could display log speed and real time fuel consumption by plug-in connecting with Suzuki Modular Instrument System (SMIS), which is available as option.
(The optional sender is also required to display log speed.)
- ②5 types of display mode are available for you to select your favorite display mode.
- ③has alert function for your engine malfunctions and indicates the interval of the engine oil change.
a)automatically displays 6 kinds of your engine malfunctions.
b)indicates appropriate timing of engine oil change.
- ④4.3 inch full-color liquid crystal screen with back light and can be switched to daytime or nighttime display mode for better visibility.
- ⑤optional analog image display or digital image display can be selected.
- ⑥can display maximum 2 engines at same time.
- ⑦applicable to maximum 2 stations and 4 engines using multiple SMFGs.
- ⑧newly set up 6 kinds of rigging parts kits for your convenience to have all necessary parts to fit the SMFG to your boat.
- ⑨also includes navigation function to easily find the distance and direction to your destination or home port.

Display Information

		Displayed Items in Multi-Function Gauge
Boat Operation Information	Boat Operation Information	☐
	Ground Speed	☐
	Shift Position	☐
	Trim Position	☐
Navigation Information	Fuel Level	☐
	Fuel Information	☐
	Consumption/H (Average)	☐
	Distance/L (Average)	☐
	Compass Direction	☐
	Current Position	☐
	Course	☐
	Direction of the Home Port	☐
	Distance to the Home Port	☐
	Direction of the Destination	☐
	Distance to the Destination	☐
	Nautical Time	☐
Engine Data	Clock	☐
	Battery Voltage	☐
	Engine Temperature	☐
	Engine Operation Hours	☐
	Operation Hours after Oil Change	☐
	Various Warnings	☐
	Error Information	☐

Screen Selection

5 types of screen display are available.

(1) Full Display (either digital image of display or analog image of display can be selected)

Features:


- Tachometer
- Shift position
- Speedometer
- Trim gauge
- GPS time
- Trip hour
- Distance to homeport and destination
- Navigation compass
- Fuel manager
- Fuel gauge

Digital Display



Daytime

Analog Display



Screen for Night time



Nighttime

(2) Simple Display (Alerts engine malfunction and indicates timing of oil change)

Features:

- Tachometer
- Shift position
- Speedometer
- Fuel gauge
- GPS time
- Navigation compass
- Trim gauge

For Single Engine System(Digital)



For Single Engine System(Analog)



Screen for Night time



For Dual Engine System(Digital)



For Dual Engine System(Analog)



Screen for Night time



(3) Navigation Display



Features:

- Compass
- GPS time
- Trip hour
- Distance to homeport and destination
- Latitude and longitude

(4) Fuel Information Display



Features:


- Fuel level of each tank
- Fuel flow
- Fuel consumption per hour
- Sailing distance per liter or gallon
- Distance to homeport and destination

(5) Engine Information Display



Features:

- Total hour
- Hour after oil change
- Voltmeter
- Coolant water temperature



Engine Warning Displays

The Multi Function Gauge has 6 alert functions for engine malfunctions and indicates timing of engine oil changes. Makes it sound like everyone should anticipate a malfunction.

(1) Low Battery Voltage

Low Battery Voltage

(2) Engine Error

Check Engine

(3) Low Oil Pressure

Low Oil Pressure

(4) Overheating

Overheat
High Oil Temp

(5) Water in Fuel

Water in Fuel

(6) Over Revolution

REV
LIMIT

(7) Oil Change Timing

Change Oil

Multi Function Gauge Kit

Newly set up 6 kinds of rigging parts kits for your convenience to have all necessary parts to fit the SMFG to your boat.

① For 1st station, up to dual engines with mechanical remote control				② For 1st station, 3 or 4 engines with mechanical remote control				③ For 1st station, up to 2 engines with electronic throttle and shift			
KIT Part Number	Component Part No.	Component Part Name	QTY	KIT Part Number	Component Part No.	Component Part Name	QTY	KIT Part Number	Component Part No.	Component Part Name	QTY
34011-87L00-000	34200-87L12-000	GAUGE ASSY,MULTI	1	34011-87L10-000	34200-87L12-000	GAUGE ASSY,MULTI	2	34011-87L20-000	34200-87L12-000	GAUGE ASSY,MULTI	1
	36661-87L00-000	ADAPTER COMP,GAUGE	1		36661-87L00-000	ADAPTER COMP,GAUGE	2		36661-87L11-000	ADAPTER COMP,GAUGE	1
	36663-98J10-000	HARNESS ASSY,ACTIVE HUB PWR L	1		36663-88L00-000	HARNESS ASSY,NETWORK POWER	1		36663-98J10-000	HARNESS ASSY,ACTIVE HUB PWR L	1
	36990-87D00-000	TERMINAL & SLEEVE SET	1		36663-98J10-000	HARNESS ASSY,ACTIVE HUB PWR L	1		36990-87D00-000	TERMINAL & SLEEVE SET	1
	39950-87L00-000	MODULE ASSY,GPS RECEIVER	1		36664-88L00-000	CONNECTOR COMP,BRANCH	3		39950-87L00-000	MODULE ASSY,GPS RECEIVER	1
					36665-87L00-000	ADAPTER,GAUGE FOR MULT	1				
					36665-88L00-000	UNIT COMP,RESISTOR FEMALE	1				
					36665-88L10-000	UNIT COMP,RESISTOR MALE	1				
					36666-87L00-000	WIRE COMP,NETWORK	2				
					36990-87D00-000	TERMINAL & SLEEVE SET	1				
					39950-87L00-000	MODULE ASSY,GPS RECEIVER	1				

GAUGE ADAPTER

36661-87L00-000 002
Applicable Model DF9.9B/15A/20A/40A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z/

NEW
36664-87L00-000 004
For 2nd station, up to 2 engines
Applicable Model DF40A-300AP

36661-87L11-000 003
For drive-by-wire models
Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

NEW
36665-87L00-000 005
For using multiple SMFGs
Applicable Model DF40A-300AP

NEW
36667-87L00-000 006
For 3 or 4 engines with electric throttle and shift
Applicable Model DF150TG-300AP

GPS RECEIVER MODULE

39950-87L00-000 007
Applicable Model DF9.9B/15A/20A/40A-300AP

SMIS NETWORK WIRE

36666-87L00-000 008
Applicable Model DF9.9B/15A/20A/40A-300AP

POWER CABLE

36663-98J00-000 009
2.5 meters
Applicable Model DF9.9B/15A/20A/40A-300AP


36663-98J10-000 010
6.0 meters
Applicable Model DF9.9B/15A/20A/40A-300AP

④ For 1st station, 3 or 4 engines with electronic throttle and shift				⑤ For 2nd station, up to 2 engines				⑥ For 2nd station, 3 or 4 engines			
KIT Part Number	Component Part No.	Component Part Name	QTY	KIT Part Number	Component Part No.	Component Part Name	QTY	KIT Part Number	Component Part No.	Component Part Name	QTY
34011-87L30-000	34200-87L12-000	GAUGE ASSY,MULTI	2	34011-87L40-000	34200-87L12-000	GAUGE ASSY,MULTI	1	34011-87L50-000	34200-87L12-000	GAUGE ASSY,MULTI	2
	36661-87L11-000	ADAPTER COMP,GAUGE	2		36662-88L00-000	WIRE COMP,25 EXTENSION	1		36662-88L00-000	WIRE COMP,25 EXTENSION	1
	36663-88L00-000	HARNESS ASSY,NETWORK POWER	1		36663-88L00-000	HARNESS ASSY,NETWORK POWER	1		36664-87L00-000	ADAPTER,GAUGE FOR DUAL STATION	2
	36663-98J10-000	HARNESS ASSY,ACTIVE HUB PWR L	1		36664-87L00-000	ADAPTER,GAUGE FOR DUAL STATION	1		36664-88L00-000	CONNECTOR COMP,BRANCH	2
	36990-87D00-000	TERMINAL & SLEEVE SET	1		36664-88L00-000	CONNECTOR COMP,BRANCH	3		36666-87L00-000	WIRE COMP,NETWORK	2
	39950-87L00-000	MODULE ASSY,GPS RECEIVER	1		36665-87L00-000	ADAPTER,GAUGE FOR MULT	1		36682-92E00-000	WIRE COMP,TRIM METER	2
					36665-88L00-000	UNIT COMP,RESISTOR FEMALE	1				
					36665-88L10-000	UNIT COMP,RESISTOR MALE	1				
					36666-87L00-000	WIRE COMP,NETWORK	2				
					36990-87D00-000	TERMINAL & SLEEVE SET	1				
					39950-87L00-000	MODULE ASSY,GPS RECEIVER	1				

※Kit No. ⑤ & ⑥ can be used for mechanical remote control system and electric throttle and shift system.



mechanical remote control system




1st station kit
34011-87L00-000

1st station kit
34011-87L10-000

TERMINAL & SLEEVE SET	30990-87D00	1
-----------------------	-------------	---

※36660-89L00 is sold separately.
 ※There are several models which should be installed in different ways. For more details, please ask Suzuki dealers.




1st station kit 34011-87L00-000	2nd station kit 34011-87L40-000
------------------------------------	------------------------------------

1st station kit 34011-87L10-000	2nd station kit 34011-87L50-000
--	--

No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty	Q'ty
①	GAUGE ASSY. MULTI	34200-87L12	4	2	
②	ADAPTER COMP. GAUGE	36661-87L00	2	2	2
③	ADAPTER , GAUGE FOR MULTI	36665-87L00	1	1	
④	HARNESS ASSY , ACTIVE HUB PWR L	36663-98J10	1	1	
⑤	HARNESS ASSY NETWORK POWER	36663-88L00	1	1	
⑥	WIRE COMP. NETWORK	36666-87L00	4	2	2
⑦	CONNECTOR COMP. BRANCH	36664-88L00	5	3	2
⑧	UNIT COMP. RESISTOR MALE	36665-88L10	1	1	
⑨	UNIT COMP. RESISTOR FEMALE	36665-88L00	1	1	
⑩	MODULE ASSY.GPS RECEIVER	39950-87L00	1	1	
⑪	WIRE COMP. EXTENSION	36682-92E00	2		2
⑫	ADAPTER, GAUGE FOR DUAL STATION	36664-87L00	2		2
⑬	WIRE COMP. EXTENSION	36662-88L00	1		1
	TERMINAL 8. SLEEVE SET	36990-87D00	1	1	


Example of connection for DF150TG/ZG/175TG/ZG,DF250AP/300AP

with electronic throttle and shift system



For 1 station, up to dual engines


				1st station kit 34011-87L20
No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty
①	GAUGE ASSY, MULTI	34200-87L12	1	1
②	ADAPTER COMP, GAUGE	36661-87L11	1	1
④	HARNESS ASSY, ACTIVE HUB PWR L	36663-98J10	1	1
⑩	MODULE ASSY,GPS RECEIVER	39950-87L00	1	1
	TERMINAL & SLEEVE SET	36990-87D00	1	1



For 1 station, 3 or 4 engines


				1st station kit 34011-87L30-000
No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty
①	GAUGE ASSY, MULTI	34200-87L12	2	2
②	ADAPTER COMP, GAUGE	36661-87L11	2	2
③	ADAPTER, GAUGE FOR MULTI	36665-87L00	1	1
④	HARNESS ASSY, ACTIVE HUB PWR L	36663-98J10	1	1
⑤	HARNESS ASSY NETWORK POWER	36663-88L00	1	1
⑥	WIRE COMP, NETWORK	36666-87L00	2	2
⑦	CONNECTOR COMP, BRANCH	36664-88L00	3	3
⑧	UNIT COMP, RESISTOR MALE	36665-88L10	1	1
⑨	UNIT COMP, RESISTOR FEMALE	36665-88L00	1	1
⑩	MODULE ASSY,GPS RECEIVER	39950-87L00	1	1
⑭	ADAPTER, GAUGE FOR MULTI	36667-87L00	※1	※1
	TERMINAL & SLEEVE SET	36990-87D00	1	1

※36667-87L00 is sold separately. Required for 3 or 4 engines.



For 2 stations, up to dual engines

				1st station kit 34011-87L40-000	2nd station kit 34011-87L40-000
No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty	Q'ty
①	GAUGE ASSY, MULTI	34200-87L12	2	1	1
②	ADAPTER COMP, GAUGE	36661-87L11	1	1	
③	ADAPTER, GAUGE FOR MULTI	36665-87L00	1		1
④	HARNESS ASSY, ACTIVE HUB PWR L	36663-98J10	1	1	
⑤	HARNESS ASSY NETWORK POWER	36663-88L00	1		1
⑥	WIRE COMP, NETWORK	36666-87L00	2		2
⑦	CONNECTOR COMP, BRANCH	36664-88L00	3		3
⑧	UNIT COMP, RESISTOR MALE	36665-88L10	1		1
⑨	UNIT COMP, RESISTOR FEMALE	36665-88L00	1		1
⑩	MODULE ASSY,GPS RECEIVER	39950-87L00	1	1	
⑪	WIRE COMP, TRIM METER	36682-92E00	1		1
⑫	ADAPTER, GAUGE FOR DUAL STATION	36664-87L00	1		1
⑬	WIRE COMP, EXTENSION	36662-88L00	1		1
	TERMINAL & SLEEVE SET	36990-87D00	1	1	



For 2 stations, 3 or 4 engines

				1st station kit 34011-87L30-000	2nd station kit 34011-87L50-000
No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty	Q'ty
①	GAUGE ASSY, MULTI	34200-87L12	4	2	2
②	ADAPTER COMP, GAUGE	36661-87L11	2	2	
③	ADAPTER, GAUGE FOR MULTI	36665-87L00	1	1	
④	HARNESS ASSY, ACTIVE HUB PWR L	36663-98J10	1	1	
⑤	HARNESS ASSY NETWORK POWER	36663-88L00	1	1	
⑥	WIRE COMP, NETWORK	36666-87L00	4	2	2
⑦	CONNECTOR COMP, BRANCH	36664-88L00	5	3	2
⑧	UNIT COMP, RESISTOR MALE	36665-88L10	1	1	
⑨	UNIT COMP, RESISTOR FEMALE	36665-88L00	1	1	
⑩	MODULE ASSY,GPS RECEIVER	39950-87L00	1	1	
⑪	WIRE COMP, EXTENSION	36682-92E00	2		2
⑫	ADAPTER, GAUGE FOR DUAL STATION	36664-87L00	2		2
⑬	WIRE COMP, EXTENSION	36662-88L00	1		1
⑭	ADAPTER, GAUGE FOR MULTI	36667-87L00	※1	※1	
	TERMINAL & SLEEVE SET	36990-87D00	1	1	

※36667-87L00 is sold separately. Required for 3 or 4 engines.

SUZUKI MODULAR INSTRUMENT SYSTEM

SUZUKI MODULAR INSTRUMENT SYSTEM (SMIS) uses an easy to connect and expandable cable system to transmit graphic and numerical data to Multi-Function gauges. Easy to set up and install system can be used with nearly any boat and DF300 SUZUKI Outboard. Connected to the NMEA2000® compatible system, the gauges can display real-time readings from compatible electronic probes and the exclusive SMIS engine interface to monitor all engine functions. (Engine Monitor with 4" gauge only)

APPLICABLE MODELS : DF9.9BR/15AR/20AR/40AT/50AT/50AV/60AT/60AV/70AT/80AT/90AT/100A-300A

SMIS MULTI-FUNCTION GAUGE

The 4" multi-function gauge uses a state-of-the-art high-contrast, dot matrix display to monitor real-time graphic and numerical digital data. When connected into the SMIS system, it can monitor all engine functions, act as a speedometer, tachometer, GPS*, and many others. (*GPS requires additional hardware.)


The 2" multi-function gauge is capable of all functions of the 4" gauge except diagnostic informations. When connected to the SMIS system, it can be programmed to monitor all other functions.

4" SMIS MULTI-FUNCTION GAUGE



34200-88L02-000 011
with a gray bezel + a T-connector (36664-88L00-000) + Operation & Installation Manual

Examples of display**




2" SMIS MULTI-FUNCTION GAUGE



34800-88L01-000 012
with a gray bezel + a T-connector (36664-88L00-000) + Operation & Installation Manual

Examples of display**



** The detail instructions of display-operation are explained in the Operation & Installation Manual.

GAUGE KIT


4" GAUGE KIT

34011-88L03-000 013
This kit contains basic components to install digital gauge.



2" GAUGE KIT

34011-88L13-000 014
34011-89L01-000
This kit supplements analog gauges to display additional information, and it can display information which analog gauge system cannot indicate such as fuel consumption. 34011-89L01-000 is for DF9.9B/15A/20A, and includes 36660-89L00-000 instead of 36668-88L00-000.



Available for your convenience. Refer to the following chart for the contents.


Contents					
part name	part number	quantity			
		4" Gauge Kit 34011-88L02-000	***	2" Gauge Kit 34011-88L12-000 34011-89L01-000	***
1 4" SMIS Multi-Function Gauge	34200-88L02-000 011	1	1	-	-
2 2" SMIS Multi-Function Gauge	34800-88L01-000 012	-	-	1	1
3 Terminator Female	36665-88L00-000 023	1	-	1	-
4 Terminator Male	36665-88L10-000 024	1	-	1	-
5 Extension Cable 25 feet	36662-88L00-000	-	-	1	-
6 Engine Interface Unit	34922-88L02-000 015	1	1	1	1
7 SMIS Power Cable	36663-88L00-000 020	1	1	1	1
8 SMIS Adapter	36668-88L00-000 016 OR 36668-89L00-000	-	-	1	-
9 Operation & Installation Manual for 4" Gauge		1	-	-	-
10 Operation & Installation Manual for 2" Gauge		-	-	1	-

***Quantity of T-connector(s) in a kit

OPTIONAL INSTRUMENT TRIM

Change the standard gray bezel to suit your application. Two different bezel finishes are available for 2" or 4" Multi-Function gauges.





SUZUKI MODULAR INSTRUMENT SYSTEM

ENGINE INTERFACE UNIT WITH A T-CONNECTOR



34922-88L02-000 015

SMIS ADAPTER



36668-88L00-000 016

for 40AT-250T/Z with analog gauge system to add on digital gauges.1.8m

36660-89L00-000

for DF9.9B/15A/20A with analog gauge system to add on digital gauges.7.1m

ENGINE INTERFACE

The most important part of the SMIS data system. DF150TG/ZG/175TG/ZG/250AP/300AP connect to the system, using Engine Interface Adapter.

ENGINE INTERFACE ADAPTER



36661-98J10-000 017

for single DF150TG/ZG/175TG/ZG/250AP/300AP



36661-98J20-000 018

for single DF150TG/ZG/175TG/ZG/250AP/300AP



36661-98J30-000 019

for single DF150TG/ZG/175TG/ZG/250AP/300AP

POWER CABLE

The fused (3A) lead connects the extension cable to the power source.

SMIS POWER CABLE WITH A T-CONNECTOR



36663-88L00-000 020

POWER NODE WITH A T-CONNECTOR



36663-88L10-000 021

Allows network to be powered from multiple power sources (key switch, accessory switch, etc...). For multiple (2 or 3) engines of DF9.9BR/15AR/20AR/40A-250T/Z

CONNECTION HARDWARE

T-CONNECTOR



36664-88L00-000 022

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR FEMALE



36665-88L00-000 023

120-ohm terminators are required for any open cable ends in the system.

TERMINATOR MALE



36665-88L10-000 024

120-ohm terminators are required for any open cable ends in the system.

ADAPTER HARNESS TO N NETWORK



36666-88L00-000 025

(Black network to Blue devices) Allows connection to other NMEA devices (Device NET).

ADAPTER HARNESS TO L NETWORK



36666-88L10-000 026

(Blue network to Black devices)

SENSORS

FLUID LEVEL SENSOR WITH A T-CONNECTOR



34810-88L00-000 027

Monitors the fluid levels such as fuel, live well water level. etc. 10ft cable.

WATER TEMPERATURE SENSOR WITH A T-CONNECTOR



34455-88L00-000 029

Surface-water temperature sensor. 10ft cable.

WATER PRESSURE SENSOR WITH A T-CONNECTOR



34960-88L00-000 031

GPS RECEIVER MODULE WITH A T-CONNECTOR



39950-88L00-000 032

Displays the accurate location and speed on multi-function gauges.

SPEED SENSOR WITH A T-CONNECTOR



34190-88L00-000 028

Paddle wheel-type speed sensor. 10ft cable.



34455-88L10-000 030

(Thru-Hull type)

CONNECTION CABLE

The extension cable is the main line of SMIS. Data communication runs the length of the boat, capped at each end with a 120-ohm terminator. NMEA2000® compatible sensors or other devices can be added by the use of T-connectors throughout the system.

EXTENSION CABLE



36662-88L10-000

2 feet

36662-88L30-000

15 feet

36662-88L20-000 033

6 feet

36662-88L00-000

25 feet



Example of Connection for DF150TG/ZG/175TG/ZG/250AP/300AP with SMIS Multi-Function Gauge

(in case of equipping the same quantities of 4" and 2" gauges as engines and stations, and all optional items)


category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		engine(s)												part number			
						1	2	3	1			2			3						
						station(s)															
						1	1	1	2 total		2 1st 2nd		2 total		2 1st 2nd		2 total		2 1st 2nd		
				required quantity per boat (*1)																	
SMIS multi-function gauge	❶	4" SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3	2	1	1	4	2	2	6	3	3	34200-88L02-000			
		4" Gauge Kit	3	KIT														34011-88L03-000			
engine interface	❷	2" SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3	2	1	1	4	2	2	6	3	3	34800-88L01-000			
	❸	Engine Interface unit	1	1	1	1	2	3	1	1		2	2		3	3		34922-88L02-000			
	❹	Engine Interface Adapter for single	0			1	1											36661-98J10-000			
		Engine Interface Adapter for dual	0									1	1					36661-98J20-000			
		Engine Interface Adapter for triple	0					1							1	1		36661-98J30-000			
power cable	❺	Power Cable	1	1	1	1	1	1	1	1		1	1		1	1		36663-88L00-000			
connection cable	❻	Extension Cable 2 feet	0															36662-88L10-000			
		Extension Cable 6 feet	0															36662-88L20-000			
		Extension Cable 15 feet	0															36662-88L30-000			
		Extension Cable 25 feet	0	0	1													36662-88L00-000			
connection hardware	❼	T-Connector (*2)	1	3	3	4 (*2)	7 (*2)	10 (*2)	6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	36664-88L00-000			
	❽	Terminator Female	0	1	1	1	1	1	1		1	1		1	1	1		36665-88L00-000			
	❾	Terminator Male	0	1	1	1	1	1	1	1		1	1		1	1		36665-88L10-000			
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000			
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000			
sensor		Fluid Level Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000			
		Speed Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000			
		Water Temperature Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000			
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000			
		Water Pressure Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000			
		GPS Receiver Module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000			
optional trim		4" bezel, chrome	0															34193-88L00-000			
		4" bezel, white	0															34193-88L20-000			
		2" bezel, chrome	0															34193-88L40-000			
		2" bezel, white	0															34193-88L60-000			

Example of Connection for DF9.9BR/15AR/20AR/40A-250 with SMIS Multi-Function Gauge


(in case of equipping the same quantities of 4" and 2" gauges as engines' and stations', and all optional items)

category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		engine(s)												part number			
						1	2	3	1			2			3						
						station(s)															
						1	1	1	2 total		2 1st 2nd		2 total		2 1st 2nd		2 total		2 1st 2nd		
				required quantity per boat (*1)																	
SMIS multi-function gauge	❶	4" SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3	2	1	1	4	2	2	6	3	3	34200-88L02-000			
		4" Gauge Kit	3	KIT														34011-88L03-000			
	❷	2" SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3	2	1	1	4	2	2	6	3	3	34800-88L01-000			
engine interface	❸	Engine Interface unit	1	1	1	1	2	3	1	1		2	2		3	3		34922-88L02-000			
power cable	❺	Power Cable	1	1	1	1	1	1	1	1		1	1		1	1		36663-88L00-000			
	❻	Power Node for multiple engine of DF40-250 only	1				1	1				1	1		1	1		36663-88L10-000			
connection cable	❻	Extension Cable 2 feet	0															36662-88L10-000			
		Extension Cable 6 feet	0														36662-88L20-000				
		Extension Cable 15 feet	0														36662-88L30-000				
		Extension Cable 25 feet	0	0	1												36662-88L00-000				
connection hardware	❼	T-Connector (*2)	1	3	3	4 (*2)	7 (*2)	10 (*2)	6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	36664-88L00-000			
	❽	Terminator Female	0	1	1	1	1	1	1		1	1		1	1	1		36665-88L00-000			
	❾	Terminator Male	0	1	1	1	1	1	1	1		1	1		1	1		36665-88L10-000			
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000			
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000			
sensor		Fluid Level Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000			
		Speed Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000			
		Water Temperature Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000			
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000			
		Water Pressure Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000			
		GPS Receiver Module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000			
optional trim		4" bezel, chrome	0															34193-88L00-000			
		4" bezel, white	0															34193-88L20-000			
		2" bezel, chrome	0															34193-88L40-000			
		2" bezel, white	0															34193-88L60-000			
adapter cable	❾	SMIS adapter (*3)	0			1	2	3	1	1		2	2		3	3		36660-89L00-000			


SINGLE ENGINE
DF150TG/ZG/
175TG/ZG/
250AP/300AP



DUAL ENGINE OF
DF150TG/ZG/
175TG/ZG/
250AP/300AP




TRIPLE ENGINE OF
DF150TG/ZG/
175TG/ZG/
250AP/300AP




SINGLE ENGINE OF
DF9.9BR/15AR/
20AR/40A-250


(*3)



DUAL ENGINE OF
DF9.9BR/15AR/
20AR/40A-250



TRIPLE
ENGINE OF
DF9.9BR/15AR/
20AR/40A-250



Single Station First & Second Station



ANALOG INSTRUMENT



Caution lamp	Caution type
CHECK ENGINE	Low battery-voltage or Other cautions on S.D.S
TEMP	Overheat (Over-revolution)
OIL	Low oil-pressure (Over-revolution) Oil change reminder
REV LIMIT	Over-revolution

TACHOMETER



34200-93J11-000 034

Gauge Size	4"
Background	White
Applicable Model	DF40AT-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.



34200-93J50-000 036

Gauge Size	4"
Background	White
Applicable Model	DF40AT-140AT/Z

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.



34200-93J31-000 038

Gauge Size	4"
Background	White
Applicable Model	DF8AR/9.9AR/9.9BR/15AR/ 20AR/25R,DT30R/40WR

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.



34200-93J00-000 035

Gauge Size	4"
Background	Black
Applicable Model	DF40AT-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.



34200-93J40-000 037

Gauge Size	4"
Background	Black
Applicable Model	DF40AT-140AT/Z

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.



34200-93J20-000 039

Gauge Size	4"
Background	Black
Applicable Model	DF8AR/9.9AR/9.9BR/15AR/ 20AR/25R,DT30R/40WR

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

SPEEDOMETER



34100-93J11-000 040

Gauge Size	4"
Background	White
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J31-000 042

Gauge Size	4"
Background	White
Maximum Speed	80km/h, 50mph
Applicable Model	DF8AR-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/ Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J51-000 044

Gauge Size	4"
Background	White
Maximum Speed	80km/h, 45knots
Applicable Model	DF8AR-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/ Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J00-000 041

Gauge Size	4"
Background	Black
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J20-000 043

Gauge Size	4"
Background	Black
Maximum Speed	80km/h, 50mph
Applicable Model	DF8AR-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/ Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J40-000 045

Gauge Size	4"
Background	Black
Maximum Speed	80km/h, 45knots
Applicable Model	DF8AR-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/ Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

SPEEDOMETER SENDER ASSY



34100-93J60-000 046

Gauge Size	4"
Background	White
Maximum Speed	120km/h, 65knots
Applicable Model	DF40AT-140AT/Z/150T/Z/ 175T/Z/200T/Z-250T/Z

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

34190-95500-000 047

Applicable Model	DF9.9BT-20AT/25R/40AT-300AP,DT30R/40WR
------------------	--

34190-87D00-000 048

Applicable Model	DF9.9BT-20AT/25R/40AT-140AT/Z/150T/Z/175T/Z/ 200T/Z-250T/Z,DT30R/40WR
------------------	--



ANALOG INSTRUMENT



TRIM GAUGE



34800-93J11-000 049

Gauge Size 2"
Background White
Applicable Model DF40AT-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.



34800-93J00-000 050

Gauge Size 2"
Background Black
Applicable Model DF40AT-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

FUEL GAUGE



34300-93J11-000 051

Gauge Size 2"
Background White
Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

FUEL GAUGE alone works with the US Standard 250Q sending unit. Use the 150Q adaptor to connect the gauge to a European standard sending unit.



34300-93J00-000 052

Gauge Size 2"
Background Black
Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

FUEL GAUGE alone works with the US Standard 250Q sending unit. Use the 150Q adaptor to connect the gauge to a European standard sending unit.

HOUR METER



34500-93J11-000 053

Gauge Size 2"
Background White
Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.



34500-93J00-000 054

Gauge Size 2"
Background Black
Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.

VOLTMETER



34600-93J11-000 055

Gauge Size 2"
Background White
Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.



34600-93J00-000 056

Gauge Size 2"
Background Black
Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

WATER-PRESSURE GAUGE



34650-93J31-000 057

Gauge Size 2"
Background White
Applicable Model DF40AT-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.



34650-93J20-000 058

Gauge Size 2"
Background Black
Applicable Model DF40AT-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.



INSTALLATION KIT for WATER-PRESSURE GAUGE



34660-90J02-000

Applicable Model DF40AT-140AT/Z

34660-96J00-000

Applicable Model DF150T/Z-175T/Z

34660-93J00-000 059

Applicable Model DF200T/Z-250T/Z

KIT includes fittings and hoses needed for motor to gauge connection.

ELECTRONIC THROTTLE AND SHIFT SYSTEM

- Computerized Drive by Wire system of the Suzuki Precision Control (SPC) eliminates wiring friction losses and allows smooth and superior handling. As a result, SPC makes smooth and linear control from start and at low speed.
- By the control panel operation(included remote-control kits), you can start and stop the engine and change a steering station with multiple engines you can control the synchronization of an engine rev and change the tilt angles.
- Not only DF300A/250A, but also DF150TG/ZG, AF175TG/ZG are suitable for this system.
- Chrome plating finish for better rust resistance
- applicable to maximum 2 station and maximum 4 engines
- 8 kinds of rigging parts kits are available for your convenience to select all necessary parts for your requirements.



060



061



062

REMOTE-CONTROL KIT for SINGLE ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J08-000 67000-98J67-000 DF150TG/ZG/175TG/ ZG/250AP/300AP	QTY	BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT Applicable Model Contents:	QTY	First Station 67000-98J08-000 67000-98J67-000	+	Second Station 67000-98J18-000	QTY
				DF150TG/ZG/175TG/ZG/250AP/300AP		DF150TG/ZG/175TG/ZG/250AP/300AP	
67200-98J03-000 060	1	BINNACLE MOUNT R/C BOX		67200-98J03-000 060	1	67200-98J03-000 060	2
67200-98J22-000 061		or FLUSH MOUNT R/C BOX		67200-98J22-000 061		-	
37100-98J03-000 063	1	MAIN SWITCH PANEL		37100-98J03-000 063	1	-	1
37100-98J11-000 064	1	CONTROL PANEL		37100-98J11-000 064	1	37100-98J11-000 064	2
38500-93J90-000 095	1	WARNING BUZZER		38500-93J90-000 095	1	38500-93J90-000 095	2
09407-08401-000	1	WARNING-BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
-	-	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 089	1
36625-98J10-000 076	1	BATTERY LEAD		36625-98J10-000 076	1	-	1
36770-98J10-000 067	1	BOAT CONTROL MODULE (BCM)		36770-98J10-000 067	1	36770-98J10-000 067	2
36775-98J00-000 068	1	BCM HOLDER (L)		36775-98J00-000 068	1	36775-98J00-000 068	2
36776-98J00-000 069	1	BCM HOLDER (R)		36776-98J00-000 069	1	36776-98J00-000 069	2
33911-88BLO-000 070	1	BCM-CONNECT CAP		33911-88BLO-000 070	1	33911-88BLO-000 070	2
33925-93J00-000 071	1	BCM CUSHION		33925-93J00-000 071	1	33925-93J00-000 071	2
36623-98J20-000 078	1	BCM #1 WIRING HARNESS		36623-98J20-000 078	1	-	1
-	-	BCM #2 WIRING HARNESS		-	-	36624-98J02-000 079	1
33926-98J00-000 077	2	TERMINAL RESISTOR		33926-98J00-000 077	2	-	2
-	-	ENGINE WIRING HARNESS		-	-	-	-
-	-	DUAL-STATION WIRING HARNESS		-	-	36622-98J00-000 075	1
09403-13402-000	10	HARNESS CLAMP		09403-13402-000	10	09403-13402-000	20
37860-87L00-000 093	1	TROLL MODE SWITCH PANEL		37860-87L00-000 093	1	37860-87L00-000 093	2

REMOTE-CONTROL KIT for DUAL ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J28-000 - DF150TG/ZG/175TG/ ZG/250AP/300AP	QTY	BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT Applicable Model Contents:	QTY	First Station 67000-98J28-000	+	Second Station 67000-98J38-000	QTY
				DF150TG/ZG/175TG/ZG/250AP/300AP		DF150TG/ZG/175TG/ZG/250AP/300AP	
67200-98J13-000 062	1	BINNACLE MOUNT R/C BOX		67200-98J13-000 062	1	67200-98J13-000 062	2
-		or FLUSH MOUNT R/C BOX		-		-	
37100-98J03-000 063	1	MAIN SWITCH PANEL		37100-98J03-000 063	1	-	1
37100-98J21-000 065	1	CONTROL PANEL		37100-98J21-000 065	1	37100-98J21-000 065	2
38500-93J90-000 095	1	WARNING BUZZER		38500-93J90-000 095	1	38500-93J90-000 095	2
09407-08401-000	1	WARNING-BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
-	-	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 089	1
36625-98J10-000 076	1	BATTERY LEAD		36625-98J10-000 076	1	-	1
36770-98J10-000 067	1	BOAT CONTROL MODULE (BCM)		36770-98J10-000 067	1	36770-98J10-000 067	2
36775-98J00-000 068	1	BCM HOLDER (L)		36775-98J00-000 068	1	36775-98J00-000 068	2
36776-98J00-000 069	1	BCM HOLDER (R)		36776-98J00-000 069	1	36776-98J00-000 069	2
-	-	BCM-CONNECT CAP		-	-	-	-
33925-93J00-000 071	1	BCM CUSHION		33925-93J00-000 071	1	33925-93J00-000 071	2
36623-98J30-000	1	BCM #1 WIRING HARNESS		36623-98J30-000	1	-	1
-	-	BCM #2 WIRING HARNESS		-	-	36624-98J11-000	1
33926-98J00-000 077	2	TERMINAL RESISTOR		33926-98J00-000 077	2	-	2
36621-98J00-000 074	1	ENGINE WIRING HARNESS		36621-98J00-000 074	1	-	1
-	-	DUAL-STATION WIRING HARNESS		-	-	36622-98J00-000 075	1
09403-13402-000	15	HARNESS CLAMP		09403-13402-000	15	09403-13402-000	25
37860-87L00-000 093	1	TROLL MODE SWITCH PANEL		37860-87L00-000 093	1	37860-87L00-000 093	2

REMOTE-CONTROL KIT for TRIPLE ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J48-000 - DF150TG/ZG/175TG/ ZG/250AP/300AP	QTY	BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT Applicable Model Contents:	QTY	First Station 67000-98J48-000	+	Second Station 67000-98J58-000	QTY
				DF150TG/ZG/175TG/ZG/250AP/300AP		DF150TG/ZG/175TG/ZG/250AP/300AP	
67200-98J13-000 062	1	BINNACLE MOUNT R/C BOX		67200-98J13-000 062	1	67200-98J13-000 062	2
-		or FLUSH MOUNT R/C BOX		-		-	
37100-98J03-000 063	1	MAIN SWITCH PANEL		37100-98J03-000 063	1	-	1
37100-98J31-000 066	1	CONTROL PANEL		37100-98J31-000 066	1	37100-98J31-000 066	2
38500-93J90-000 095	1	WARNING BUZZER		38500-93J90-000 095	1	38500-93J90-000 095	2
09407-08401-000	1	WARNING-BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
-	-	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 089	1
36625-98J10-000 076	1	BATTERY LEAD		36625-98J10-000 076	1	-	1
36770-98J10-000 067	1	BOAT CONTROL MODULE (BCM)		36770-98J10-000 067	1	36770-98J10-000 067	2
36775-98J00-000 068	1	BCM HOLDER (L)		36775-98J00-000 068	1	36775-98J00-000 068	2
36776-98J00-000 069	1	BCM HOLDER (R)		36776-98J00-000 069	1	36776-98J00-000 069	2
-	-	BCM-CONNECT CAP		-	-	-	-
33925-93J00-000 071	1	BCM CUSHION		33925-93J00-000 071	1	33925-93J00-000 071	2
36623-98J30-000	1	BCM #1 WIRING HARNESS		36623-98J30-000	1	-	1
-	-	BCM #2 WIRING HARNESS		-	-	36624-98J11-000	1
33926-98J00-000 077	2	TERMINAL RESISTOR		33926-98J00-000 077	2	-	2
36621-98J10-000	1	ENGINE WIRING HARNESS		36621-98J10-000	1	-	1
-	-	DUAL-STATION WIRING HARNESS		-	-	36622-98J00-000 075	1
09403-13402-000	18	HARNESS CLAMP		09403-13402-000	18	09403-13402-000	28
37860-87L00-000 093	1	TROLL MODE SWITCH PANEL		37860-87L00-000 093	1	37860-87L00-000 093	2

REMOTE-CONTROL KIT for QUADRUPLE ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J70-000 - DF150TG/ZG/175TG/ ZG/250AP/300AP	QTY	BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT Applicable Model Contents:	QTY	First Station 67000-98J70-000	+	Second Station 67000-98J80-000	QTY
				DF150TG/ZG/175TG/ZG/250AP/300AP		DF150TG/ZG/175TG/ZG/250AP/300AP	
67200-98J13-000 062	1	BINNACLE MOUNT R/C BOX		67200-98J13-000 062	1	67200-98J13-000 062	2
-		or FLUSH MOUNT R/C BOX		-		-	
37100-98J03-000 063	1	MAIN SWITCH PANEL		37100-98J03-000 063	1	-	1
37100-98J21-000 065	2	CONTROL PANEL		37100-98J21-000 065	2	37100-98J21-000 065	4
38500-93J90-000 095	2	WARNING BUZZER		38500-93J90-000 095	2	38500-93J90-000 095	4
09407-08401-000	2	WARNING-BUZZER CLAMP		09407-08401-000	2	09407-08401-000	4
-	-	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 089	1
36625-98J10-000 076	2	BATTERY LEAD		36625-98J10-000 076	2	-	2
36770-98J20-000	2	BOAT CONTROL MODULE (BCM)		36770-98J20-000	2	36770-98J20-000	4
36775-98J00-000 068	2	BCM HOLDER (L)		36775-98J00-000 068	2	36775-98J00-000 068	4
36776-98J00-000 069	2	BCM HOLDER (R)		36776-98J00-000 069	2	36776-98J00-000 069	4
-	-	BCM-CONNECT CAP		-	-	-	-
33925-93J00-000 071	2	BCM CUSHION		33925-93J00-000 071	2	33925-93J00-000 071	4
36623-98J40-000	1	BCM #1 WIRING HARNESS		36623-98J40-000	1	36623-98J40-000	2
-	-	BCM #2 WIRING HARNESS		-	-	-	-
33926-98J00-000 077	4	TERMINAL RESISTOR		33926-98J00-000 077	4	-	4
36621-98J00-000 074	2	ENGINE WIRING HARNESS		36621-98J00-000 074	2	-	2
-	-	DUAL-STATION WIRING HARNESS		-	-	36622-98J00-000	2
09403-13402-000	20	HARNESS CLAMP		09403-13402-000	20	09403-13402-000	35
37860-87L00-000 093	1	TROLL MODE SWITCH PANEL		37860-87L00-000 093	1	37860-87L00-000 093	2



SUZUKI PRECISION CONTROL

ELECTRONIC THROTTLE AND SHIFT SYSTEM

MAIN SWITCH PANEL



37100-98J03-000 063

Single ignition with Emergency-stop switch

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

CONTROL PANEL



37100-98J11-000 064

for Single-Engine

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP



37100-98J21-000 065

for Dual-Engine

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP



37100-98J31-000 066

for Triple-Engine

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BOAT CONTROL MODULE (BCM)



36770-98J10-000 067


Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36770-98J20-000

for Quadruple engines

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BCM HOLDER (L/R)



36775-98J00-000 068

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36776-98J00-000 069

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BCM-CONNECT CAP



33911-88BLO-000 070

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BCM CUSHION



33925-93J00-000 071

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

CONNECTION BETWEEN ENGINE AND CONTROL SYSTEM

MAIN WIRING HARNESS



36620-98J30-000 072

6.5 meters for control system

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36620-98J40-000

9.5 meters for control system

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

MAIN-WIRING-HARNESS EXTENSION



36620-98J50-000 073

2.0 meters for control system

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

ENGINE WIRING HARNESS



36621-98J00-000 074

for Dual engines

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36621-98J10-000

for Triple engines

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

DUAL-STATION WIRING HARNESS



36622-98J00-000 075

for Dual-station control system

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BATTERY LEAD



36625-98J10-000 076

6.5 meters

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

TERMINAL RESISTOR



33926-98J00-000 077

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP



BCM #1 WIRING HARNESS



36623-98J20-000 078

for Single engine and Single (First) station

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36623-98J30-000

for Dual or Triple engines and Single (First) station

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36623-98J40-000

for Quadruple engines

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BCM #2 WIRING HARNESS



36624-98J02-000 079


for Single engine and Second station

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36624-98J11-000

for Dual or Triple engines and Second station

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP



MECHANICAL REMOTE CONTROL SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE + SINGLE STATION

67000-93J04-000		67000-93J47-000		-	
-		-		67000-93J25-000	
-		-		-	
DF9.9B-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z		DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z		DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z	
QTY		QTY		QTY	
67200-93J13-000	080	67200-93J13-000	080	-	-
-	-	-	-	67200-93J32-000	082
-	-	-	-	-	-
-	-	34200-93J11-000	034	-	-
-	-	34800-93J11-000	049	-	-
-	-	36620-93J02-000	1	-	-
-	-	-	-	-	-
37100-96J23-000	091	37100-96J23-000	091	37100-96J23-000	091

REMOTE-CONTROL KIT for DUAL ENGINE + SINGLE STATION

67000-93J14-000		67000-93J57-000	
-		-	
-		-	
DF100A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z		DF100A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z	
QTY		QTY	
67200-93J23-000	081	67200-93J23-000	081
-	-	-	-
-	-	-	-
-	-	34200-93J11-000	034
-	-	34800-93J11-000	049
-	-	36620-93J02-000	2
-	-	36620-93J10-000	1
37100-96J13-000	092	37100-96J13-000	092

BINNACLE-MOUNT REMOTE CONTROL BOX



67200-93J13-000 080

Single-engine

Applicable Model DF8AR-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

BINNACLE-MOUNT REMOTE CONTROL BOX



67200-93J23-000 081

Dual-engine

Applicable Model DF100A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

FLUSH-MOUNT REMOTE CONTROL BOX



67200-93J32-000 082

Single-engine

Applicable Model DF25R-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

SIDE-MOUNT REMOTE CONTROL BOX



67200-91J04-000

Single-engine

Applicable Model DF4-6

67200-94J15-000 083

Single-engine.With warning buzzer

Applicable Model DF8AR-20AR

67200-93J06-000

Single-engine.With PTT switch

Applicable Model DF9.9BT/20AT/40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

67200-97E44-000

Single-engine.With warning buzzer

Applicable Model DT25K/30/R

CONNECTION between ENGINE and CONTROL SYSTEM

MAIN WIRING HARNESS



36620-93J52-000

5.0 meters for Control system

Applicable Model DF40A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

36620-93J02-000 086

6.5 meters for Control system

Applicable Model DF9.9BT/20AT/40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

36620-93J62-000

8.0 meters for Control system

Applicable Model DF40A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

36620-94J01-000

6.5 meters for Control system without Monitor-signal wire, Trim-sender wire and PTT-SW wire

Applicable Model DF8AR-25R

SPACER KIT for REMOTE CONTROL BOX



67500-93J00-000 084

for Single Binnacle-mount type

Applicable Model DF8AR-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z



67500-93J10-000 085

for Dual Binnacle-mount type

Applicable Model DF100A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z



BATTERY LEAD



36625-93J10-000 087

6.7 meters

Applicable Model DF70AT-90AT/150T/175T/Z/200T/Z-250T/Z

MAIN-WIRING-HARNESS EXTENSION

36620-93J10-000


2.0 meters for Control system

Applicable Model DF9.9BR-20AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

36620-93J40-000

3.0 meters for Control system

Applicable Model DF9.9BR-20AT/R/40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z



MECHANICAL REMOTE CONTROL SYSTEM

SWITCH PANEL



IGNITION SWITCH PANEL



37100-96J00-000 088

Single ignition

Applicable Model DF9.9BR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

37100-99E00-000

Single ignition

Applicable Model DT30/R

EMERGENCY SWITCH PANEL



37803-93J03-000 089

Applicable Model DF9.9BR-300AP

37803-99E03-000

Applicable Model DT30/R

LIGHTING SWITCH PANEL



37210-93J00-000 090

Applicable Model DF9.9BR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30/R/40W/WR

IGNITION SWITCH PANEL



37100-96J23-000 091

Single ignition with
Emergency-stop switch

Applicable Model DF9.9BR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

IGNITION SWITCH PANEL



37100-96J13-000 092

Dual ignition with
Emergency-stop switch

Applicable Model DF100A-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

WARNING BUZZER



38500-93J90-000 095

Applicable Model DF9.9BR-300AP

THRU-HULL-HOSE ATTACHMENT



67300-90J00-000

Applicable Model DF70A-140A

67300-93J00-000 096

Applicable Model DF150-300AP

TWIN REMOCON ATTACHMENT KIT



67140-95600-000 097

Applicable Model DT9.9B-20AT/40AT-140AT/Z/
150T/Z/175T/Z/200T/Z-250T/
Z,DT40W/WR/WK

REMOTE-CONTROL CABLE



67320-93J00-000 098

8 feet 2.44 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J10-000

10 feet 3.05 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J20-000

12 feet 3.66 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J30-000

14 feet 4.27 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J40-000

16 feet 4.88 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J50-000

18 feet 5.49 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J60-000

20 feet 6.10 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J70-000

22 feet 6.71 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J80-000


24 feet 7.32 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

GENUINE REMOTE-CONTROL CABLES employ the latest
in cable technology. The inner core is encased in
nylon, and travels back and forth in a high-density
polyethylene liner.

REMOTE-CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.



67101-91J00-000 099

Applicable Model DF4-6



67130-95J02-000 100

Applicable Model DF25

67130-99J00-000

CLAMP BRACKET SET (41100-99J00-0EP) is required
for installing 67130-99J00-000.

Applicable Model DF8A/9.9A

67130-89L01-000

Applicable Model DF9.9B/15A/20A

CLAMP BRACKET SET

41100-99J00-0EP

Applicable Model DF8A/9.9A





STEERING



TILLER HANDLE KIT

Main features



Tachometer with warning indicators

- Digital tachometer with indicators for the first time of all the tiller handles in the marine industry.
- The check pattern panel makes the digital tachometer display clearly visible.
- Reliable for the critical information from the warning indicators.
- 3 digits digital tachometer shows RPM during cruising or trolling.



Shift lever

- Round shape for comfortable grip.
- Moderate shifting feeling.



63002-88L20-0EP 101

Applicable Model DF40A/ 50A

63002-88L10-0EP 102

Applicable Model DF60A/50AV/60AV

63002-87L11-0EP 103

Applicable Model DF70A-90A

63002-90J31-0EP 104

with Adjustable Steering Damper
Applicable Model DF100A/115A

TILLER HANDLE KIT



The conventional kits are also applicable.

63002-88L06-0EP

Applicable Model DF40A-60A

63002-87L04-0EP

Applicable Model DF70A-90A

63002-90J26-0EP 105

with Adjustable Steering Damper

Applicable Model DF100A/115A

CONTENTS: Ignition switch, Engine-stop switches, Wiring harness, Cables and Grommets
TILLER HANDLE KITS are designed for easy installation for selected electric start models.

DUAL-ENGINE TIE-BAR



67600-90J00-000 106

Stainless steel

Applicable Model DF100A-140A

67600-93J00-000

Stainless steel

Applicable Model DF150T/Z/175T/Z/200T/Z-250T/Z

STEERING EXTENSION KIT



67630-93J00-000 107

for installation of DUAL-ENGINE TIE-BAR (67600-93J00-000)

Applicable Model DF150T/Z/175T/Z/200T/Z-250T/Z

STEERING CABLE SEAL



41161-94400-000 108

Applicable Model DF8A-250T/Z,DT25K-40WR

STEERING-BRACKET ATTACHMENT



43755-95J01-000

Applicable Model DF25Q/R

Used to connect DRAG LINK.

DRAG-LINK KIT



67700-87L01-000

Applicable Model DF70A-90A

67700-93J00-000

Applicable Model DF40A-60A/200T/Z-250T/Z

67700-95J01-000

Applicable Model DF25/R/Q

67700-96J00-000

Applicable Model DF150-175

67701-87J11-000

Applicable Model DF40A-60A/200T/Z-250T/Z

67701-87L01-000

Applicable Model DF70A-90A

67701-90J01-000

Applicable Model DF100A-140A

67701-95J00-000

Applicable Model DF25/R/Q

67701-96J00-000

Applicable Model DF150-175

67701-94420-000

Applicable Model DT25K/30/R



Angle Adjustable Bracket

- The angle adjustable bracket changes the basic handle position in three levels.
That will help better handle positioning in accordance with user's boat.



Troll mode switch

- Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.



Power trim & tilt switch and throttle grip friction adjuster

- The PTT switch at the toe of the grip bar helps users to control the trim position and throttling at the same time.
- The throttle grip friction adjuster at the base of the grip bar supports user's throttle control.



Recommended STEERING SYSTEM supplied by



www.seastarsolutions.com

Order taking, delivery, technical support and warranty for these products are handled by SeaStar Solutions. Please consult to local SeaStar Solutions distributor or dealer if you need more detail for product information, price, availability and all business terms.

STEERING KIT

BayStar™



BAYSTAR

BAYSTAR OUTBOARD SYSTEM - HK4645H

System comprises:	
BayStar Helm 1.4cu" (22.94cc)	HH4314
BayStar Compact Cylinder	HC4645H*
20ft "cut to length" tubing kit	HT4420H
2 x 1 litre hydraulic oil	HO5430

*Note: 115-140hp four stroke 2001 to current model require HC4658H

SeaStar®



SEASTAR

SEASTAR OUTBOARD SYSTEM - HK6400

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271
SeaStar Pivot Cylinder	HC5345*
2 x 1 litre hydraulic oil	HO5430

Note: 1 x SeaStar hose kits must be ordered separately
*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

SeaStar®
PLA™




SEASTAR POWER ASSIST

SEASTAR OUTBOARD POWER ASSIST SYSTEM

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271
SeaStar Pivot Cylinder	HC5345*
2 x 1 litre hydraulic oil	HO5430
SeaStar 12v Power Assist Unit	PA1200-2

Note: 2 x SeaStar hose kits must be ordered separately
*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.


*For further application information please refer to www.teleflexmarine.com



TIE-BAR KIT

Features
General purpose system.
Single and multiple engine capability.
Total power up to 700 HP
*counter-rotating.

Independent engine tilt for twin engine
Easy steering.
5 turns lock to lock steering response.



Applications

Twin Engine Application for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		TWIN ENGINE SINGLE CYL.	TWIN ENGINE DUAL CYL.	
DF40A/50A/60A	HC5358	HO6003	HO6002	Requires kit HO5090
DF70A/80A/90A	HC5358	HO6003	HO6002	Requires kit HO5090
DF100	HC5358	HO6003	HO6002	Requires kit HO5090
DF115/140	HC5358	HO6003	HO6002	Requires kit HO5090
DF150/175	HC5345	HO6003	HO6002	
DF200/225/250	HC5345	HO6003	HO6002	
DF300	HC5345	HO6003	HO6002	

Triple Engine Configuration for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		PORT ENGINE TO DRIVE CYL.	STARBOARD ENGINE TO DRIVE CYL.	
DF150/175	HC5345	HO6003	HO6002	See notice
DF200/225/250	HC5345	HO6003	HO6002	See notice
DF300	HC5345	HO6003	HO6002	See notice

Notice : Two cylinders are required to operate a triple engine set up.

ELECTRICAL PARTS

ELECTRIC STARTER KIT



31000-95J10-000

Applicable Model DF25

31000-99J00-000

Applicable Model DF8A/9.9A

31000-89L02-000

Applicable Model DF9.9B/15A/20A

Converts MZ model into ME model.

BATTERY CHARGING KIT

32000-91J12-000

80W

Applicable Model DF4-6

32000-95J01-000

80W

Applicable Model DF25/Q

32000-99J00-000

80W

Applicable Model DF8A/9.9A

32000-89L00-000

80W

Applicable Model DF9.9B/15A/20A

COUNTER SELECT CONNECTOR



36612-98J00-000

Applicable Model DF300AP /250AP

Converts DF300AP/250AP to counter rotation specification.

RECTIFIER SET



32801-91J01-000

Applicable Model DF4-6



32801-95J01-000

Applicable Model DF8A/9.9A/25

32801-89L00-000

Applicable Model DF9.9B/15A/20A



32801-96304-000

Applicable Model DT25K/30



32801-94402-000

Applicable Model DT40W/40WR/40WK

RECEPTACLE KIT



39600-91J12-000

Applicable Model DF4-6

39600-94J01-000

Applicable Model DF8A/9.9A

39600-89L00-000

Applicable Model DF9.9B/15A/20A



39600-95J01-000

Applicable Model DF25



39600-93910-000

Applicable Model DT9.9AK-40W/WR/WK

STARTER MOTOR SET



31101-96320-0EP

Applicable Model DT30



BATTERY ISOLATOR LEAD SET



33830-96J00-000 118
Applicable Model DF150-175

33830-98J10-000

Applicable Model DF300AP/250AP

STATOR & PULSER COIL COMPONENT



32120-95J00-000 119
12V, 180W

Applicable Model DF25/Q

Raises the standard output (12V, 80W) to a larger output (12V, 120 or 180W).

FLYWHEEL



32102-96462-000 120
Applicable Model DT30

STARTING SWITCH & CABLE SET



33800-96304-000 121
Applicable Model DT30

ANODE

ZINC ANODE for saltwater



55300-95500-000 122
Applicable Model DF8A/9.9A/
40A-60A,DT25K-40W



55320-95311-000 123
Applicable Model DF40A-60A/150-300AP



55125-96310-000 124
Applicable Model DF25/R/Q



55321-90J01-000 125
Applicable Model DF40A-60A/100A-140A

ALUMINUM ANODE for brackish water, saltwater



55321-87J00-000 126
Applicable Model DF2.5-300AP,
DT9.9AK/15AK



55320-94900-000 127
Applicable Model DF60A-300AP



55321-95J00-000 128
Applicable Model DF2.5/25/R/Q

55321-93J00-000 129
Applicable Model DF150-300AP

MAGNESIUM ANODE for freshwater



55321-87J10-000 130
Applicable Model DF4-300AP,DT9.9AK/15AK



55321-94910-000 131
Applicable Model DF70A-300AP

FUEL SYSTEM

FUEL TANK

NOTE : These tanks do not meet US-EPA requirements.



65000-99100-000 132
12-litre plastic tank with no fuel-level gauge
Applicable Model DF4/5/6, DT9.9AK/15AK/
25K/40WK(-K:For Gasoline)

65000-95D01-000 133
25-litre plastic tank with a fuel-level gauge
Applicable Model DF8A-140A,
DT9.9AK-40W/WR/WK
(-K:For kerosene)

65000-89L10-000
12-litre plastic tank with a fuel-level gauge
Applicable Model DF8A-20A

REPLACEMENT FUEL CAP

NOTE : These caps do not meet US-EPA requirements.

65520-99100-000
for 12-litre tank with no fuel-level gauge
Applicable Model DF5-20A/R,
DT9.9AK/15AK/25K/40WK

65520-95D01-000
for 25-litre tank with a fuel-level gauge
Applicable Model DF8A-140A,
DT9.9AK-40W/WR/WK

FUEL-HOSE SOCKET



65750-98505-000 134
Metal, Inner diameter: 11.2 mm
Applicable Model DF4-20A/R, DT9.9/K-40W/
WR/WK



65750-87J11-000 135
Plastic, Inner diameter: 6.6 mm
Applicable Model DF4/8A-25/R/Q



65750-95500-000 136
Metal, Inner diameter: 13.0 mm
Applicable Model DF8A/R-140A,
DT9.9AK-40W/WR/WK

FUEL CONNECTOR (ENGINE SIDE)



65720-986B0-000 137
Plastic
Applicable Model DF4/25/R/Q

FUEL CONNECTOR (TANK SIDE)



65740-95D01-000 138
Outer diameter: 13 mm, 1/4"NPT
Applicable Model DF8A/R-140A,
DT9.9/K-40W/WR/WK

SQUEEZE PUMP



65770-99J01-000 139
Small-in & Large-out
Applicable Model DF4-6,DT9.9AK/15AK/25K/
40WR

65770-90J11-000
Large-in & Large-out
Applicable Model DF9.9B-140A,DT9.9AK/
15AK/25K/40WR

65770-93J11-000
Large-in & Large-out
Applicable Model DF150-300AP

65770-90L01-000
Large-in & Small-out
Applicable Model DT9.9/15A/30/40W

SQUEEZE PUMP (Meets US-EPA requirements.)

65770-94J00-000
Small-in & Large-out
Applicable Model DF4/6

65770-90J01-000
Large-in & Large-out
Applicable Model DF8A-25

65770-93J02-000
Large-in & Large-out
Applicable Model DF150-300AP





FUEL-HOSE COMPONENT

65700-94J1-000

for 12-litre plastic tank to engine

Applicable Model DF4-9.9A

65700-93J02-000

140

for fuel tank to engine

Applicable Model DF150-300AP

65700-87J15-000

for 25-litre plastic tank to engine

Applicable Model DF9.9B-25

65700-90J14-000

for 25-litre plastic tank to engine

Applicable Model DF40A-140A

65700-95D04-000

for 12-litre plastic tank to engine
(gasoline)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-96362-000

for 25-litre plastic tank to engine
(kerosene)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-94415-000

with fuel filter (gasoline)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-94433-000

with fuel filter (kerosene)

Applicable Model DT9.9AK/15AK

FUEL-HOSE COMPONENT
(Meets US-EPA requirements.)

65700-91J23-000

Applicable Model DF4/6

65700-87J24-000

Applicable Model DF8A-25

65700-88L01-000

Applicable Model DF40A-60A

WATER SEPARATOR / FUEL FILTER



65900-98J00-000

141

Applicable Model DF8A-300AP, DT9.9A-40W/
WR/WK

ELEMENT SET




65910-98J00-000

142

Applicable Model DF8A-300AP, DT9.9A-40W/
WR/WK




FUEL-HOSE
COMPONENT Chart



FUEL HOSE COMPONENT		SOCKET			HOSE				SQUEEZE PUMP	HOSE				SOCKET		
Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)		I/D (mm)	O/D (mm)		D Length (mm)		I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part Number
65700-94JD1-000	1970	Plastic	6.6	65750-87J11-000	700	Large	7.3	12.5	65770-99J00-000	1100	Small	5.3	10.5	Metal	11.2	65750-98505-000
65700-93J02-000	2370	(no socket)	-	-	(no hose)	-	-	-	65770-93J11-000	2250	Large	9.0	14.0	(no socket)	-	-
65700-87J15-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J10-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-90J14-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J10-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-95D04-000	2550	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-99J00-000	2090		5.3	10.5	Metal	11.2	65750-98505-000
65700-96362-000	2620	Metal	11.2	65750-98505-000	300		5.3	10.5	-	2250		7.3	12.5	Metal	13	65750-95500-000
65700-94415-000	3100	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-90J10-000	2600		7.3	12.5	-	-	-
65700-94433-000	3100	Plastic	13.8	65750-94404-000	3000		7.3	12.5	-	-		-	-	-	-	-

65700-91J23-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-94J00-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-87J24-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J00-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-88L01-000	1280	(no socket)	-	-	(no hose)	-	-	-	65770-90J00-000	1100		7.3	12.5	Metal	13	65750-95500-000





PROPELLER



HARDWARE FOR PROPELLER

Applicable Model	STOPPER		PROPELLER BUSH		HARDWARE KIT	Contents of HARDWARE KIT			
	SPACER	SPACER				WASHER	NUT	COTTER PIN	
DF2.5	57635-91JL0-000	-	58120-97JA0-000	Press-In	N/A	-	-	58130-91JL0-000	09204-03003-000
DF4/5/6	57635-91JL0-000	-	58120-91J00-000	Press-In	N/A	-	-	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-94J00-000	-	58120-93701-000	Press-In	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9B/15A/20A, DT9.9A/15A	57632-94J00-000	-	58120-89L00-000	Press-In	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DF25	57632-95J00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT25/30	57632-91L00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT40	57632-92L00-000	-	58120-88L00-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	-	58120-88L00-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF50AV/60AV	57635-90J01-000	-	*58105-90J00-000	Press-In	57630-94500-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF70A/80A/90A	57632-87L00-000	-			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF100A/115A T model (Right-Hand-Rotation)	57635-90J01-000	57632-90J00-000	*58105-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF115A Z model (Counter-Rotation)	57635-92J01-000	-	**58120-90J00-000		57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF140A	57635-92J01-000	-			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF150-300AP	57632-93L00-000	-	***58105-93J00-000 ****58105-93J10-000	Press-In	57630-92E00-000	57633-87D30-000	09160-18028-000	09141-18005-000	09204-03003-000

*58105-90J00 is for 58100-87Lxx, 58100-90Jxx, 58200-92J4x-92J9x and 58200-92JAx-92JDX.
**58120-90J00 is for 58200-90J0x-90J3x and 58200-92J0x-92J3x.
***58105-93J00 is for 58200-96Jxx.
****58105-93J10 is for 58200-93JXX, 58200-93Lxx and 58300-93Jxx.

*RR:Right-Hand-Rotation model, CR: Counter-Rotation model

model	type	material	blade	diameter	pitch	rotation*	description	part number
DF2.5	A520	Aluminum	3	7 3/8	5 3/8	RR		58110-97JA0-019
DF4	C601	Aluminum	3	7 1/2	6	RR		58110-91JL0-019
DF5	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91J10-019
DF6	C701	Aluminum	3	7 1/2	7	RR		58110-91J20-019
DF8A	M701	Aluminum	3	9 1/4	7	RR		58100-93703-019
DF9.9A	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-90L01-019
	M901	Aluminum	3	9 1/4	9	RR		58100-94J00-019
	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-90L11-019
	M1001	Aluminum	3	9 1/4	10	RR		58100-93733-019
	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-90L21-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-93743-019
DF9.9B		Aluminum	4	10	5	RR	High thrust	58100-94JA0-019
DF9.9B								
DF15A		Aluminum	3	9 1/4	7	RR		58100-89L00-019
DF20A		Aluminum	3	9 1/4	8	RR	THICK	58100-90L40-019
		Aluminum	3	9 1/4	9	RR		58100-89L20-019
DT9.9A		Aluminum	3	9 1/4	9	RR	THICK	58100-90L50-019
DT15A		Aluminum	3	9 1/4	10	RR		58100-89L30-019
		Aluminum	3	9 1/4	10	RR	THICK	58100-90L60-019
		Aluminum	3	9 1/4	11	RR		58100-89L40-019
		Aluminum	3	9 1/4	12	RR		58100-89L50-019
DF25	P911	Aluminum	3	10 1/4	9	RR	THICK	58100-96371-019
DT25	P1001	Aluminum	3	10 1/4	10	RR		58100-96411-019
DT30	P1011	Aluminum	3	10 1/4	10	RR	THICK	58100-96471-019
	P1101	Aluminum	3	10 1/4	11	RR		58100-96421-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-91L00-019
	P1211	Aluminum	3	10 1/4	12	RR	THICK	58100-96481-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-91L10-019
	P1311	Aluminum	3	10 1/4	13	RR	THICK	58100-96491-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D01-019
	P1501	Aluminum	3	10 1/4	15	RR		58100-96461-019
DT25/30	PS1300	Stainless	3	10 1/4	13	RR		58200-96400-000
DF40A	S900	Aluminum	3	11 1/2	9	RR		58100-88L03-019
DF50A	S1000	Aluminum	3	11 1/2	10	RR		58100-88L13-019
DF60A	S1100	Aluminum	3	11 1/2	11	RR		58100-88L23-019
DT40	S1200	Aluminum	3	11 5/8	12	RR		58100-88L32-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88LB0-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L52-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L62-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L72-019
	S1700	Aluminum	3	11	17	RR		58100-88L83-019
	SS1600	Stainless	3	11 1/8	16	RR		58200-88L30-000
DF50AV		Aluminum	3	14	9	RR		58100-87LG1-019
DF60AV		Aluminum	3	14	11	RR		58100-87LH0-019
		Aluminum	3	13 3/4	12	RR		58100-87LJ0-019
		Aluminum	3	14	13	RR		58100-87LA0-019
		Aluminum	3	13 7/8	15	RR		58100-87LB0-019
		Aluminum	3	13 3/4	17	RR		58100-87LC0-019



model	material	blade	diameter	pitch	rotation*	part number
DF70A	Aluminum	3	14	13	RR	58100-87LA0-019
DF80A	Aluminum	3	13 7/8	15	RR	58100-87LB0-019
DF90A	Aluminum	3	13 3/4	17	RR	58100-87LC0-019
	Aluminum	3	13 3/4	19	RR	58100-87LD0-019
	Aluminum	3	13 3/4	21	RR	58100-87LE0-019
	Aluminum	3	13 3/4	23	RR	58100-87L50-019
	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
	Aluminum	3	14	17	RR	58100-90JA0-019
	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000

DF100A	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
DF115A	Aluminum	3	14	17	RR	58100-90JA0-019
DF140A	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
	Stainless	3	14 1/4	18	CR	58200-92J00-000
	Stainless	3	14 1/4	20	CR	58200-92J10-000
	Stainless	3	14 1/4	22	CR	58200-92J20-000
	Stainless	3	14 1/4	24	CR	58200-92J30-000
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000
	Stainless	3	13 7/8	17	CR	58200-92JA0-000
	Stainless	3	13 7/8	19	CR	58200-92JB0-000
	Stainless	3	13 7/8	21	CR	58200-92JC0-000
	Stainless	3	13 7/8	23	CR	58200-92JD0-000

model	material	blade	diameter	pitch	rotation*	part number
DF150	Stainless	3	16	15	RR	58200-93L80-000
DF175	Stainless	3	16	17	RR	58200-93L00-000
DF200	Stainless	3	16	18 1/2	RR	58200-93L10-000
DF225	Stainless	3	16	20	RR	58200-93L20-000
DF250	Stainless	3	16	21 1/2	RR	58200-93L30-000
DF250AP	Stainless	3	16	23	RR	58200-93L40-000
DF300AP	Stainless	3	16	24 1/2	RR	58200-93L50-000
	Stainless	3	16	26	RR	58200-93L60-000
	Stainless	3	16	27 1/2	RR	58200-93L70-000
	Stainless	3	16	17	CR	58200-93LE0-000
	Stainless	3	16	18 1/2	CR	58200-93LA0-000
	Stainless	3	16	20	CR	58200-93LB0-000
	Stainless	3	16	21 1/2	CR	58200-93LC0-000
	Stainless	3	16	23	CR	58200-93LD0-000
	Stainless	3	16	24 1/2	CR	58200-93LF0-000
	Stainless	3	16	26	CR	58200-93LG0-000
	Stainless	3	15 1/2	17	RR	58200-96J00-000
	Stainless	3	15 1/4	19	RR	58200-96J10-000
	Stainless	3	15	21	RR	58200-96J20-000
	Stainless	3	14 3/4	23	RR	58200-96J30-000
	Stainless	3	14 1/2	25	RR	58200-96J40-000
	Stainless	3	14 1/2	27	RR	58200-96J50-000
	Stainless	3	15 1/2	17	CR	58200-96JA0-000
	Stainless	3	15 1/4	19	CR	58200-96JB0-000
	Stainless	3	15	21	CR	58200-96JC0-000
	Stainless	3	14 3/4	23	CR	58200-96JD0-000
	Stainless	3	14 1/2	25	CR	58200-96JE0-000
	Stainless	3	14 1/2	27	CR	58200-96JF0-000
	Stainless	4	15 1/4	18	RR	58300-93J00-000
Stainless	4	15 1/4	20	RR	58300-93J10-000	
Stainless	4	15 1/4	22	RR	58300-93J20-000	
Stainless	4	15 1/4	24	RR	58300-93J30-000	
Stainless	4	15 1/4	26	RR	58300-93J40-000	
Stainless	4	15 1/4	20	CR	58300-93JA0-000	
Stainless	4	15 1/4	22	CR	58300-93JB0-000	
Stainless	4	15 1/4	24	CR	58300-93JC0-000	
Stainless	4	15 1/4	26	CR	58300-93JD0-000	



CARE ITEM

MAINTENANCE ITEM

ENGINE COVER



68110-89L00-000 143

Applicable Model DF8A-20A, DT9.9A-15A

68110-88L00-000 144

Applicable Model DF25/40A-60A, DT25/30

68110-87L00-000 145

Applicable Model DF70A-140A, DT40

68110-96J00-000 146

Applicable Model DF150T/Z-250T/Z

68110-98J00-000 147

Applicable Model DF250AP/300AP



68110-96110-000

Applicable Model DF4-20A

68110-94400-000 148

Applicable Model DF25

68110-94510-000

Applicable Model DF40A-60A

FLUSH-HOSE ATTACHMENT



55181-95200-000 149

Applicable Model DF4-6/40A-60A, DT25K/30/40W



17917-87L00-000 150

Applicable Model DF8A-300A

2-CYCLE MOTOR OIL



99000-21B40-016 151

CCI OIL. Metal can with a cap & nozzle



99000-21740-006 152

CCIS SUPER OIL. Metal can with a cap & nozzle.

GEAR OIL



99000-22B22-000 153

HYPOID GEAR OIL SAE90 API GL-5
400ml

GREASE



99000-25011-000 154

SUPER GREASE-A
450 grams (15.8 oz) for Crank oil seal



99000-25350-000 155

WATER RESISTANT GREASE EP2
250 grams (8.8 oz)



99000-25140-000 156

MOLY PASTE
50 grams (1.7 oz)

PTT FLUID



99000-22810-000 157

Metal can with a cap
1 liter

LIQUID GASKET



93691-80030-000 158

SILICONE SEAL KE45T
100 grams



99000-31140-000 159

1207B (BLACK)
100 grams (3.4 oz)

THREAD LOCK



99000-32020-000 160

1333B (RED)
50 grams (1.7 oz)



99000-32160-000 161

1342 (BLUE)
50 grams (1.7 oz)

SUZUKI APPROVED GENUINE OIL by MOTUL

These products are supplied directly by MOTUL.
Please note that these oils are not available in some countries.
Please contact with local distributor of MOTUL.

Suzuki and MOTUL have been in partnership in MotoGP since 1988.
Extending this trusted relationship led to the development of new Suzuki Marine Oils.
These ranges of oils have excellent oxidation stability and
provide outstanding rust protection under severe operating conditions.

API Classification	SAE Viscosity Grade							
SG SH SL SJ SM								
	10W-40							
	10W-30							
TEMP.	C	-20	-10	0	10	20	30	40
	F	-4	14	32	50	68	86	104



4-STROKE ENGINE OIL 162

SAE 10W-30 Semi-synthetic
5 litre FCW



4-STROKE ENGINE OIL 163

SAE 10W-40 Semi-Synthetic
5 litre FCW

PAINT



99000-10109-01T 164

Francois white
90 grams (3.0 oz)

99000-10109-0EP

Metallic shadow black
90 grams (3.0 oz)



GEAR OIL

SAE 90, API GL-5
0.35 litre



Items and their part numbers showing in the application chart are typically recommended, and applicable to models of engine numbers shown in page 02. Please consult your local dealers regarding rigging-parts and accessories for earlier engines.

42